```
usr/src/add-on/acp/io/xxdir.c
usr/src/add-on/acp/io/xxrdwri.c
```

usr/src/add-on/imx586/io/imx586.c
usr/src/arch/mbus/uts/i386/os/vm_subr.c
usr/src/arch/mbus/uts/i386/vm/seg_kmem.c
usr/src/arch/mbus/uts/i386/vm/vm_page.c
usr/src/cmd/chgrp/chgrp.c
usr/src/cmd/chmod/chmod.c
usr/src/cmd/cmd-inet/cmd-inet.mk
usr/src/cmd/cmd-inet/etc/strcf
usr/src/cmd/cmd-inet/usr.bin/finger.c
usr/src/cmd/cmd-inet/usr.bin/ftp/cmds.c
usr/src/cmd/cmd-inet/usr.bin/ftp/cmdtab.c
usr/src/cmd/cmd-inet/usr.bin/ftp/domacro.c
usr/src/cmd/cmd-inet/usr.bin/ftp/ftp.c
usr/src/cmd/cmd-inet/usr.bin/ftp/ftp.mk
usr/src/cmd/cmd-inet/usr.bin/ftp/ftp_var.h
usr/src/cmd/cmd-inet/usr.bin/ftp/getpass.c
usr/src/cmd/cmd-inet/usr.bin/ftp/glob.c
usr/src/cmd/cmd-inet/usr.bin/ftp/main.c
usr/src/cmd/cmd-inet/usr.bin/ftp/pclose.c
usr/src/cmd/cmd-inet/usr.bin/ftp/ruserpass.c
usr/src/cmd/cmd-inet/usr.bin/netstat/if.c
usr/src/cmd/cmd-inet/usr.bin/netstat/inet.c
usr/src/cmd/cmd-inet/usr.bin/netstat/main.c
usr/src/cmd/cmd-inet/usr.bin/netstat/netstat.mk
usr/src/cmd/cmd-inet/usr.bin/netstat/route.c
usr/src/cmd/cmd-inet/usr.bin/netstat/unix.c
usr/src/cmd/cmd-inet/usr.bin/rcp.c
usr/src/cmd/cmd-inet/usr.bin/rdate.c
usr/src/cmd/cmd-inet/usr.bin/rlogin.c
usr/src/cmd/cmd-inet/usr.bin/rsh.c
usr/src/cmd/cmd-inet/usr.bin/ruptime.c
usr/src/cmd/cmd-inet/usr.bin/rwho.c
usr/src/cmd/cmd-inet/usr.bin/talk/ctl.c
usr/src/cmd/cmd-inet/usr.bin/talk/ctl.h
usr/src/cmd/cmd-inet/usr.bin/talk/ctl_transact.c
usr/src/cmd/cmd-inet/usr.bin/talk/display.c
usr/src/cmd/cmd-inet/usr.bin/talk/get_addrs.c
usr/src/cmd/cmd-inet/usr.bin/talk/get_names.c
usr/src/cmd/cmd-inet/usr.bin/talk/init_disp.c
usr/src/cmd/cmd-inet/usr.bin/talk/invite.c
usr/src/cmd/cmd-inet/usr.bin/talk/io.c
usr/src/cmd/cmd-inet/usr.bin/talk/look_up.c
usr/src/cmd/cmd-inet/usr.bin/talk/msgs.c
usr/src/cmd/cmd-inet/usr.bin/talk/talk.c
usr/src/cmd/cmd-inet/usr.bin/talk/talk.h
usr/src/cmd/cmd-inet/usr.bin/talk/talk.mk
usr/src/cmd/cmd-inet/usr.bin/talk/talk_ctl.h
usr/src/cmd/cmd-inet/usr.bin/telnet.c
usr/src/cmd/cmd-inet/usr.bin/tftp/main.c
usr/src/cmd/cmd-inet/usr.bin/tftp/tftp.c
usr/src/cmd/cmd-inet/usr.bin/tftp/tftp.mk
usr/src/cmd/cmd-inet/usr.bin/tftp/tftpsubs.c
usr/src/cmd/cmd-inet/usr.bin/usr.bin.mk
usr/src/cmd/cmd-inet/usr.bin/whois.c
usr/src/cmd/cmd-inet/usr.sbin/arp.c
usr/src/cmd/cmd-inet/usr.sbin/gettable.c
usr/src/cmd/cmd-inet/usr.sbin/htable/htable.c
usr/src/cmd/cmd-inet/usr.sbin/htable/htable.h
usr/src/cmd/cmd-inet/usr.sbin/htable/htable.mk
usr/src/cmd/cmd-inet/usr.sbin/htable/parse.y

usr/src/cmd/cmd-inet/usr.sbin/htable/scan.l
usr/src/cmd/cmd-inet/usr.sbin/ifconfig.c
usr/src/cmd/cmd-inet/usr.sbin/in.comsat.c
usr/src/cmd/cmd-inet/usr.sbin/in.fingerd.c
usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/ftpcmd.y
usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/ftpd.c
usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/getusershell.c
usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/in.ftpd.mk
usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/logwtmp.c
usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/popen.c
usr/src/cmd/cmd-inet/usr.sbin/in.ftpd/vers.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/db.h
usr/src/cmd/cmd-inet/usr.sbin/in.named/db_dump.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/db_load.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/db_lookup.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/db_reload.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/db_save.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/db_update.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/in.named.mk
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns.h
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns_forw.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns_init.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns_main.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns_maint.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns_req.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns_resp.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/ns_sort.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/commands.l
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/debug.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/getinfo.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/list.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/main.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/nslookup.mk
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/res.h
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/send.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/skip.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nslookup/subr.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/nstest.c
usr/src/cmd/cmd-inet/usr.sbin/in.named/tools/tools.mk
usr/src/cmd/cmd-inet/usr.sbin/in.named/version.c
usr/src/cmd/cmd-inet/usr.sbin/in.rarpd.c
usr/src/cmd/cmd-inet/usr.sbin/in.rexecd.c
usr/src/cmd/cmd-inet/usr.sbin/in.rlogind.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/af.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/af.h
usr/src/cmd/cmd-inet/usr.sbin/in.routed/defs.h
usr/src/cmd/cmd-inet/usr.sbin/in.routed/if.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/in.routed.mk
usr/src/cmd/cmd-inet/usr.sbin/in.routed/inet.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/input.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/interface.h
usr/src/cmd/cmd-inet/usr.sbin/in.routed/main.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/output.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/protocol.h
usr/src/cmd/cmd-inet/usr.sbin/in.routed/startup.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/table.h
usr/src/cmd/cmd-inet/usr.sbin/in.routed/tables.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/timer.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/tools/query.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/tools/trace.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/trace.c
usr/src/cmd/cmd-inet/usr.sbin/in.routed/trace.h
usr/src/cmd/cmd-inet/usr.sbin/in.rshd.c
usr/src/cmd/cmd-inet/usr.sbin/in.rwhod.c

```
usr/src/cmd/cmd-inet/usr.sbin/in.talkd/announce.c
usr/src/cmd/cmd-inet/usr.sbin/in.talkd/ctl.h
usr/src/cmd/cmd-inet/usr.sbin/in.talkd/in.talkd.c
usr/src/cmd/cmd-inet/usr.sbin/in.talkd/in.talkd.mk
usr/src/cmd/cmd-inet/usr.sbin/in.talkd/print.c
usr/src/cmd/cmd-inet/usr.sbin/in.talkd/process.c
usr/src/cmd/cmd-inet/usr.sbin/in.talkd/table.c
usr/src/cmd/cmd-inet/usr.sbin/in.telnetd.c
usr/src/cmd/cmd-inet/usr.sbin/in.tftpd.c
usr/src/cmd/cmd-inet/usr.sbin/in.tnamed.c
usr/src/cmd/cmd-inet/usr.sbin/inetd.c
usr/src/cmd/cmd-inet/usr.sbin/ping.c
usr/src/cmd/cmd-inet/usr.sbin/route.c
usr/src/cmd/cmd-inet/usr.sbin/slink/builtin.c
usr/src/cmd/cmd-inet/usr.sbin/slink/defs.h
usr/src/cmd/cmd-inet/usr.sbin/slink/exec.c
usr/src/cmd/cmd-inet/usr.sbin/slink/main.c
usr/src/cmd/cmd-inet/usr.sbin/slink/parse.c
usr/src/cmd/cmd-inet/usr.sbin/slink/slink.1
usr/src/cmd/cmd-inet/usr.sbin/slink/slink.mk
usr/src/cmd/cmd-inet/usr.sbin/trpt.c
usr/src/cmd/cmd-inet/usr.sbin/usr.sbin.mk
usr/src/cmd/compress/compress.c                    (UCB contributors, actually.)
usr/src/cmd/cron/atq.c
usr/src/cmd/cron/atrm.c
usr/src/cmd/csh/alloc.c
usr/src/cmd/csh/bcopy.c
usr/src/cmd/csh/bzero.c
usr/src/cmd/csh/csh.mk
usr/src/cmd/csh/dir2.h
usr/src/cmd/csh/gethostname.c
usr/src/cmd/csh/getpagesize.c
usr/src/cmd/csh/getrusage.c
usr/src/cmd/csh/getwd.c
usr/src/cmd/csh/index.c
usr/src/cmd/csh/killpg.c
usr/src/cmd/csh/owait.h
usr/src/cmd/csh/param.h
usr/src/cmd/csh/printf.c
usr/src/cmd/csh/resource.h
usr/src/cmd/csh/rindex.c
usr/src/cmd/csh/setjmp.h
usr/src/cmd/csh/setpgrp.c
usr/src/cmd/csh/setpriority.c
usr/src/cmd/csh/sh.c
usr/src/cmd/csh/sh.char.c
usr/src/cmd/csh/sh.char.h
usr/src/cmd/csh/sh.debug.c
usr/src/cmd/csh/sh.dir.c
usr/src/cmd/csh/sh.dir.h
usr/src/cmd/csh/sh.dol.c
usr/src/cmd/csh/sh.err.c
usr/src/cmd/csh/sh.exec.c
usr/src/cmd/csh/sh.exp.c
usr/src/cmd/csh/sh.file.c
usr/src/cmd/csh/sh.func.c
usr/src/cmd/csh/sh.glob.c
usr/src/cmd/csh/sh.h
usr/src/cmd/csh/sh.hist.c
usr/src/cmd/csh/sh.init.c
usr/src/cmd/csh/sh.lex.c
usr/src/cmd/csh/sh.local.h
usr/src/cmd/csh/sh.misc.c
usr/src/cmd/csh/sh.parse.c
```

```
usr/src/cmd/csh/sh.print.c
usr/src/cmd/csh/sh.proc.c
usr/src/cmd/csh/sh.proc.h
usr/src/cmd/csh/sh.sem.c
usr/src/cmd/csh/sh.set.c
usr/src/cmd/csh/sh.tchar.c
usr/src/cmd/csh/sh.tconst.c
usr/src/cmd/csh/sh.tconst.h
usr/src/cmd/csh/sh.time.c
usr/src/cmd/csh/signal.c
usr/src/cmd/csh/signal.h
usr/src/cmd/csh/stubs.c
usr/src/cmd/csh/vfork.h
usr/src/cmd/csh/wait3.c
usr/src/cmd/date/date.c
usr/src/cmd/diff/diff.c
usr/src/cmd/diff/diff.h
usr/src/cmd/fmt/configdefs.h
usr/src/cmd/fmt/def.h
usr/src/cmd/fmt/fmt.c
usr/src/cmd/fmt/glob.h
usr/src/cmd/fmt/head.c
usr/src/cmd/fmt/local.h
usr/src/cmd/fmt/rcv.h
usr/src/cmd/fmt/usg.local.h
usr/src/cmd/fmt/v7.local.h
usr/src/cmd/fold/fold.c
usr/src/cmd/fold/fold.mk
usr/src/cmd/fs.d/nfs/automount/auto_all.c
usr/src/cmd/fs.d/nfs/automount/auto_look.c
usr/src/cmd/fs.d/nfs/automount/auto_main.c
usr/src/cmd/fs.d/nfs/automount/auto_mount.c
usr/src/cmd/fs.d/nfs/automount/auto_node.c
usr/src/cmd/fs.d/nfs/automount/auto_proc.c
usr/src/cmd/fs.d/nfs/automount/automount.h
usr/src/cmd/fs.d/nfs/automount/bindresvport.c
usr/src/cmd/fs.d/nfs/automount/innetgr.c
usr/src/cmd/fs.d/nfs/automount/mountxdr.c
usr/src/cmd/fs.d/nfs/automount/nfs_cast.c
usr/src/cmd/fs.d/nfs/automount/nfs_prot.x
usr/src/cmd/fs.d/nfs/automount/nfs_server.c
usr/src/cmd/fs.d/nfs/automount/nfs_trace.c
usr/src/cmd/fs.d/nfs/biod/biod.c
usr/src/cmd/fs.d/nfs/bootpd/bootparam.h
usr/src/cmd/fs.d/nfs/bootpd/bp_lib.c
usr/src/cmd/fs.d/nfs/bootpd/bp_subr.c
usr/src/cmd/fs.d/nfs/bootpd/bp_svc.c
usr/src/cmd/fs.d/nfs/bootpd/bp_xdr.c
usr/src/cmd/fs.d/nfs/dfmounts/dfmounts.c
usr/src/cmd/fs.d/nfs/dfmounts/mountxdr.c
usr/src/cmd/fs.d/nfs/dfshares/dfshares.c
usr/src/cmd/fs.d/nfs/dfshares/mountxdr.c
usr/src/cmd/fs.d/nfs/exportfs/exportfs.sh
usr/src/cmd/fs.d/nfs/lockd/flk_filock.c
usr/src/cmd/fs.d/nfs/lockd/flk_reclox.c
usr/src/cmd/fs.d/nfs/lockd/flock.h
usr/src/cmd/fs.d/nfs/lockd/hash.c
usr/src/cmd/fs.d/nfs/lockd/klm_prot.h
usr/src/cmd/fs.d/nfs/lockd/klm_prot.x
usr/src/cmd/fs.d/nfs/lockd/lockf.h
usr/src/cmd/fs.d/nfs/lockd/nlm_prot.h
usr/src/cmd/fs.d/nfs/lockd/nlm_prot.x
usr/src/cmd/fs.d/nfs/lockd/priv_prot.h
usr/src/cmd/fs.d/nfs/lockd/prot_alloc.c
```

```
usr/src/cmd/fs.d/nfs/lockd/prot_free.c
usr/src/cmd/fs.d/nfs/lockd/prot_libr.c
usr/src/cmd/fs.d/nfs/lockd/prot_lock.c
usr/src/cmd/fs.d/nfs/lockd/prot_lock.h
usr/src/cmd/fs.d/nfs/lockd/prot_main.c
usr/src/cmd/fs.d/nfs/lockd/prot_msg.c
usr/src/cmd/fs.d/nfs/lockd/prot_pklm.c
usr/src/cmd/fs.d/nfs/lockd/prot_pnlm.c
usr/src/cmd/fs.d/nfs/lockd/prot_priv.c
usr/src/cmd/fs.d/nfs/lockd/prot_proc.c
usr/src/cmd/fs.d/nfs/lockd/prot_share.c
usr/src/cmd/fs.d/nfs/lockd/prot_time.h
usr/src/cmd/fs.d/nfs/lockd/rpc.c
usr/src/cmd/fs.d/nfs/lockd/setbuffer.c
usr/src/cmd/fs.d/nfs/lockd/shlib.h
usr/src/cmd/fs.d/nfs/lockd/signal.c
usr/src/cmd/fs.d/nfs/lockd/signal.h
usr/src/cmd/fs.d/nfs/lockd/sm_inter.h
usr/src/cmd/fs.d/nfs/lockd/sm_monitor.c
usr/src/cmd/fs.d/nfs/lockd/sm_res.h
usr/src/cmd/fs.d/nfs/lockd/stdiom.h
usr/src/cmd/fs.d/nfs/lockd/svc_create.c
usr/src/cmd/fs.d/nfs/lockd/ufs_lockf.c
usr/src/cmd/fs.d/nfs/lockd/xdr_klm.c
usr/src/cmd/fs.d/nfs/lockd/xdr_nlm.c
usr/src/cmd/fs.d/nfs/lockd/xdr_sm.c
usr/src/cmd/fs.d/nfs/mount/bindresvport.c
usr/src/cmd/fs.d/nfs/mount/mount.c
usr/src/cmd/fs.d/nfs/mount/mountxdr.c
usr/src/cmd/fs.d/nfs/mountd/innetgr.c
usr/src/cmd/fs.d/nfs/mountd/issubdir.c
usr/src/cmd/fs.d/nfs/mountd/mountxdr.c
usr/src/cmd/fs.d/nfs/mountd/rpc.mountd.c
usr/src/cmd/fs.d/nfs/mountd/sharetab.c
usr/src/cmd/fs.d/nfs/mountd/sharetab.h
usr/src/cmd/fs.d/nfs/nfsd/nfsd.c
usr/src/cmd/fs.d/nfs/nfsstat/nfsstat.c
usr/src/cmd/fs.d/nfs/share/issubdir.c
usr/src/cmd/fs.d/nfs/share/share.c
usr/src/cmd/fs.d/nfs/share/sharetab.c
usr/src/cmd/fs.d/nfs/share/sharetab.h
usr/src/cmd/fs.d/nfs/showmount/mountxdr.c
usr/src/cmd/fs.d/nfs/showmount/showmount.c
usr/src/cmd/fs.d/nfs/statd/flock.h
usr/src/cmd/fs.d/nfs/statd/klm_prot.h
usr/src/cmd/fs.d/nfs/statd/rpc.c
usr/src/cmd/fs.d/nfs/statd/sm_inter.h
usr/src/cmd/fs.d/nfs/statd/sm_proc.c
usr/src/cmd/fs.d/nfs/statd/sm_statd.c
usr/src/cmd/fs.d/nfs/statd/sm_statd.h
usr/src/cmd/fs.d/nfs/statd/sm_svc.c
usr/src/cmd/fs.d/nfs/statd/sm_svcreate.c
usr/src/cmd/fs.d/nfs/statd/xdr_sm.c
usr/src/cmd/fs.d/nfs/umount/bindresvport.c
usr/src/cmd/fs.d/nfs/umount/mountxdr.c
usr/src/cmd/fs.d/nfs/umount/umount.c
usr/src/cmd/fs.d/nfs/unshare/sharetab.c
usr/src/cmd/fs.d/nfs/unshare/sharetab.h
usr/src/cmd/fs.d/nfs/unshare/unshare.c
usr/src/cmd/fs.d/ufs/clri/clri.c
usr/src/cmd/fs.d/ufs/df/df.c
usr/src/cmd/fs.d/ufs/edquota/edquota.c
usr/src/cmd/fs.d/ufs/fsck/dir.c
usr/src/cmd/fs.d/ufs/fsck/fsck.h
```

```
usr/src/cmd/fs.d/ufs/fsck/inode.c
usr/src/cmd/fs.d/ufs/fsck/main.c
usr/src/cmd/fs.d/ufs/fsck/pass1.c
usr/src/cmd/fs.d/ufs/fsck/pass1b.c
usr/src/cmd/fs.d/ufs/fsck/pass2.c
usr/src/cmd/fs.d/ufs/fsck/pass3.c
usr/src/cmd/fs.d/ufs/fsck/pass4.c
usr/src/cmd/fs.d/ufs/fsck/pass5.c
usr/src/cmd/fs.d/ufs/fsck/setup.c
usr/src/cmd/fs.d/ufs/fsck/utilities.c
usr/src/cmd/fs.d/ufs/fsdb/fsdb.c
usr/src/cmd/fs.d/ufs/fstyp/fstyp.c
usr/src/cmd/fs.d/ufs/labelit/labelit.c
usr/src/cmd/fs.d/ufs/mkfs/mkfs.c
usr/src/cmd/fs.d/ufs/mount/mount.c
usr/src/cmd/fs.d/ufs/mount/realpath.c
usr/src/cmd/fs.d/ufs/ncheck/ncheck.c
usr/src/cmd/fs.d/ufs/quot/quot.c
usr/src/cmd/fs.d/ufs/quota/quota.c
usr/src/cmd/fs.d/ufs/quotacheck/quotacheck.c
usr/src/cmd/fs.d/ufs/quotaon/quotaon.c
usr/src/cmd/fs.d/ufs/repquota/repquota.c
usr/src/cmd/fs.d/ufs/tunefs/tunefs.c
usr/src/cmd/fs.d/ufs/ufsdump/dump.h
usr/src/cmd/fs.d/ufs/ufsdump/dumpitime.c
usr/src/cmd/fs.d/ufs/ufsdump/dumpmain.c
usr/src/cmd/fs.d/ufs/ufsdump/dumpoptr.c
usr/src/cmd/fs.d/ufs/ufsdump/dumprestore.h
usr/src/cmd/fs.d/ufs/ufsdump/dumptape.c
usr/src/cmd/fs.d/ufs/ufsdump/dumptraverse.c
usr/src/cmd/fs.d/ufs/ufsdump/unctime.c
usr/src/cmd/fs.d/ufs/ufsrestore/dirs.c
usr/src/cmd/fs.d/ufs/ufsrestore/dumprestore.h
usr/src/cmd/fs.d/ufs/ufsrestore/interactive.c
usr/src/cmd/fs.d/ufs/ufsrestore/main.c
usr/src/cmd/fs.d/ufs/ufsrestore/restore.c
usr/src/cmd/fs.d/ufs/ufsrestore/restore.h
usr/src/cmd/fs.d/ufs/ufsrestore/symtab.c
usr/src/cmd/fs.d/ufs/ufsrestore/tape.c
usr/src/cmd/fs.d/ufs/ufsrestore/utilities.c
usr/src/cmd/fs.d/ufs/volcopy/volcopy.c
usr/src/cmd/gcore/gcore.c
usr/src/cmd/groups/groups.c
usr/src/cmd/head/head.c
usr/src/cmd/init/init.c
usr/src/cmd/keyserv/chkey.c
usr/src/cmd/keyserv/detach.c
usr/src/cmd/keyserv/domainname.c
usr/src/cmd/keyserv/gcd.c
usr/src/cmd/keyserv/generic.c
usr/src/cmd/keyserv/init_tr.c
usr/src/cmd/keyserv/key_generic.c
usr/src/cmd/keyserv/keylogin.c
usr/src/cmd/keyserv/keylogout.c
usr/src/cmd/keyserv/keyserv.c
usr/src/cmd/keyserv/madd.c
usr/src/cmd/keyserv/mdiv.c
usr/src/cmd/keyserv/mout.c
usr/src/cmd/keyserv/mp.h
usr/src/cmd/keyserv/msqrt.c
usr/src/cmd/keyserv/mult.c
usr/src/cmd/keyserv/newkey.c
usr/src/cmd/keyserv/pow.c
usr/src/cmd/keyserv/setkey.c
```

```
usr/src/cmd/keyserv/update.c
usr/src/cmd/keyserv/util.c
usr/src/cmd/last/last.c
usr/src/cmd/login/login.c
usr/src/cmd/login/rcmd.c
usr/src/cmd/lp/cmd/bsd/lpc/cmds.c
usr/src/cmd/lp/cmd/bsd/lpc/cmdtab.c
usr/src/cmd/lp/cmd/bsd/lpc/lpc.c
usr/src/cmd/lp/cmd/bsd/lpc/lpc.h
usr/src/cmd/lp/cmd/bsd/lpc/process.c
usr/src/cmd/lp/cmd/bsd/lpc/topq.c
usr/src/cmd/lp/cmd/bsd/lpq/lpq.c
usr/src/cmd/lp/cmd/bsd/lpr/lpr.c
usr/src/cmd/lp/cmd/bsd/lprm/lprm.c
usr/src/cmd/lp/cmd/bsd/lptest/lptest.c
usr/src/cmd/lp/include/lpd.h
usr/src/cmd/lp/lib/bsd/Makefile
usr/src/cmd/lp/lib/bsd/displayq.c
usr/src/cmd/lp/lib/bsd/escape.c
usr/src/cmd/lp/lib/bsd/fatalmsg.c
usr/src/cmd/lp/lib/bsd/findfld.c
usr/src/cmd/lp/lib/bsd/gethostnm.c
usr/src/cmd/lp/lib/bsd/global.c
usr/src/cmd/lp/lib/bsd/log.c
usr/src/cmd/lp/lib/bsd/parse.c
usr/src/cmd/lp/lib/bsd/psfile.c
usr/src/cmd/lp/lib/bsd/rmjob.c
usr/src/cmd/lp/lib/bsd/rsendjob.c
usr/src/cmd/lp/lib/bsd/sndrcv.c
usr/src/cmd/mailx/aux.c
usr/src/cmd/mailx/cmd1.c
usr/src/cmd/mailx/cmd2.c
usr/src/cmd/mailx/cmd3.c
usr/src/cmd/mailx/cmd4.c
usr/src/cmd/mailx/cmdtab.c
usr/src/cmd/mailx/collect.c
usr/src/cmd/mailx/config.c
usr/src/cmd/mailx/edit.c
usr/src/cmd/mailx/extern.c
usr/src/cmd/mailx/fio.c
usr/src/cmd/mailx/getname.c
usr/src/cmd/mailx/hdr/configdefs.h
usr/src/cmd/mailx/hdr/def.h
usr/src/cmd/mailx/hdr/glob.h
usr/src/cmd/mailx/hdr/local.h
usr/src/cmd/mailx/hdr/rcv.h
usr/src/cmd/mailx/hdr/sigretro.h
usr/src/cmd/mailx/hdr/uparm.h
usr/src/cmd/mailx/hdr/usg.local.h
usr/src/cmd/mailx/head.c
usr/src/cmd/mailx/hostname.c
usr/src/cmd/mailx/init.c
usr/src/cmd/mailx/is.c
usr/src/cmd/mailx/lex.c
usr/src/cmd/mailx/list.c
usr/src/cmd/mailx/lock.c
usr/src/cmd/mailx/lpaths.c
usr/src/cmd/mailx/mailx.mk
usr/src/cmd/mailx/main.c
usr/src/cmd/mailx/myfopen.c
usr/src/cmd/mailx/names.c
usr/src/cmd/mailx/optim.c
usr/src/cmd/mailx/popen.c
usr/src/cmd/mailx/quit.c
```

```
usr/src/cmd/mailx/receipt.c
usr/src/cmd/mailx/send.c
usr/src/cmd/mailx/sigretro.c
usr/src/cmd/mailx/stralloc.c
usr/src/cmd/mailx/temp.c
usr/src/cmd/mailx/translate.c
usr/src/cmd/mailx/tty.c
usr/src/cmd/mailx/usg.local.c
usr/src/cmd/mailx/vars.c
usr/src/cmd/more/more.c
usr/src/cmd/mv/mv.c
usr/src/cmd/pr/pr.c
usr/src/cmd/rpcbind/check_bound.c
usr/src/cmd/rpcbind/pmap_svc.c
usr/src/cmd/rpcbind/rpcb_svc.c
usr/src/cmd/rpcbind/rpcbind.c
usr/src/cmd/rpcbind/rpcbind.h
usr/src/cmd/rpcbind/stricmp.c
usr/src/cmd/rpcgen/rpc_clntout.c
usr/src/cmd/rpcgen/rpc_cout.c
usr/src/cmd/rpcgen/rpc_hout.c
usr/src/cmd/rpcgen/rpc_main.c
usr/src/cmd/rpcgen/rpc_parse.c
usr/src/cmd/rpcgen/rpc_parse.h
usr/src/cmd/rpcgen/rpc_scan.c
usr/src/cmd/rpcgen/rpc_scan.h
usr/src/cmd/rpcgen/rpc_svcout.c
usr/src/cmd/rpcgen/rpc_tblout.c
usr/src/cmd/rpcgen/rpc_util.c
usr/src/cmd/rpcgen/rpc_util.h
usr/src/cmd/rpcinfo/rpcinfo.c
usr/src/cmd/rpcsvc/domainname.c
usr/src/cmd/rpcsvc/rpc.rusersd.c
usr/src/cmd/rpcsvc/rusers.c
usr/src/cmd/rpcsvc/rwall.c
usr/src/cmd/rpcsvc/rwall_clnt.c
usr/src/cmd/rpcsvc/rwall_subr.c
usr/src/cmd/rpcsvc/rwall_svc.c
usr/src/cmd/rpcsvc/spray.c
usr/src/cmd/rpcsvc/spray_clnt.c
usr/src/cmd/rpcsvc/spray_subr.c
usr/src/cmd/rpcsvc/spray_svc.c
usr/src/cmd/script/script.c
▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬
usr/src/cmd/sdb/cfront/incl/curses.h
usr/src/cmd/sdb/cfront/incl/fcntl.h
▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬
usr/src/cmd/strings/strings.c
usr/src/cmd/swap/swap.c
usr/src/cmd/syslogd/syslogd.c
usr/src/cmd/tail/tail.c
usr/src/cmd/terminfo/termcap
usr/src/cmd/tset/tset.c
usr/src/cmd/ttymon/tmutmp.c
usr/src/cmd/uname/uname.c
usr/src/cmd/vi/misc/ctags.c
usr/src/cmd/vi/misc/ctags.c
usr/src/cmd/vi/misc/fold.c
usr/src/cmd/vi/misc/mkstr.c
usr/src/cmd/vi/misc/xstr.c
usr/src/cmd/vi/port/ex.c
usr/src/cmd/vi/port/ex.h
usr/src/cmd/vi/port/ex_addr.c
usr/src/cmd/vi/port/ex_argv.h
```

```
usr/src/cmd/vi/port/ex_cmds.c
usr/src/cmd/vi/port/ex_cmds2.c
usr/src/cmd/vi/port/ex_cmdsub.c
usr/src/cmd/vi/port/ex_data.c
usr/src/cmd/vi/port/ex_extern.c
usr/src/cmd/vi/port/ex_get.c
usr/src/cmd/vi/port/ex_io.c
usr/src/cmd/vi/port/ex_put.c
usr/src/cmd/vi/port/ex_re.c
usr/src/cmd/vi/port/ex_re.h
usr/src/cmd/vi/port/ex_set.c
usr/src/cmd/vi/port/ex_subr.c
usr/src/cmd/vi/port/ex_temp.c
usr/src/cmd/vi/port/ex_temp.h
usr/src/cmd/vi/port/ex_tty.c
usr/src/cmd/vi/port/ex_tty.h
usr/src/cmd/vi/port/ex_tune.h
usr/src/cmd/vi/port/ex_unix.c
usr/src/cmd/vi/port/ex_v.c
usr/src/cmd/vi/port/ex_vadj.c
usr/src/cmd/vi/port/ex_vars.h
usr/src/cmd/vi/port/ex_vget.c
usr/src/cmd/vi/port/ex_vis.h
usr/src/cmd/vi/port/ex_vmain.c
usr/src/cmd/vi/port/ex_voper.c
usr/src/cmd/vi/port/ex_vops.c
usr/src/cmd/vi/port/ex_vops2.c
usr/src/cmd/vi/port/ex_vops3.c
usr/src/cmd/vi/port/ex_vput.c
usr/src/cmd/vi/port/ex_vwind.c
usr/src/cmd/vi/port/expreserve.c
usr/src/cmd/vi/port/exrecover.c
usr/src/cmd/vi/port/ovdoprnt.s
usr/src/cmd/vi/port/ovprintf.c
usr/src/cmd/vi/port/printf.c
usr/src/cmd/whodo/whodo.c
usr/src/cmd/xrestore/restor.c
usr/src/cmd/ypcmd/getlist.c
usr/src/cmd/ypcmd/makedbm.c
usr/src/cmd/ypcmd/openchild.c
usr/src/cmd/ypcmd/pong.c
usr/src/cmd/ypcmd/udpublickey.c
usr/src/cmd/ypcmd/yp_b.h
usr/src/cmd/ypcmd/yp_b_subr.c
usr/src/cmd/ypcmd/yp_b_svc.c
usr/src/cmd/ypcmd/yp_getalias.c
usr/src/cmd/ypcmd/ypalias.c
usr/src/cmd/ypcmd/ypbind.c
usr/src/cmd/ypcmd/ypcat.c
usr/src/cmd/ypcmd/ypcmd.mk
usr/src/cmd/ypcmd/ypdefs.h
usr/src/cmd/ypcmd/ypinit.sh
usr/src/cmd/ypcmd/ypmatch.c
usr/src/cmd/ypcmd/yppoll.c
usr/src/cmd/ypcmd/yppush.c
usr/src/cmd/ypcmd/ypserv.c
usr/src/cmd/ypcmd/ypserv_ancil.c
usr/src/cmd/ypcmd/ypserv_map.c
usr/src/cmd/ypcmd/ypserv_proc.c
usr/src/cmd/ypcmd/ypset.c
usr/src/cmd/ypcmd/ypsym.h
usr/src/cmd/ypcmd/ypupd.x
usr/src/cmd/ypcmd/ypupdated.c
usr/src/cmd/ypcmd/ypv2_bind.h
```

```
usr/src/cmd/ypcmd/ypwhich.c
usr/src/cmd/ypcmd/ypxfr.c
usr/src/cmd/zdump/lalloc.c
usr/src/cmd/zdump/time.h
usr/src/cmd/zdump/zdump.c
usr/src/cmd/zic/ialloc.c
usr/src/cmd/zic/scheck.c
usr/src/cmd/zic/zic.c
▬▬▬▬▬▬▬▬

usr/src/head/arpa/ftp.h
usr/src/head/arpa/inet.h
usr/src/head/arpa/nameser.h
usr/src/head/arpa/telnet.h
usr/src/head/arpa/tftp.h
▬▬▬▬▬▬▬▬

usr/src/head/dirent.h
usr/src/head/lastlog.h
usr/src/head/netdb.h
usr/src/head/protocols/dumprestore.h
usr/src/head/protocols/routed.h
usr/src/head/protocols/rwhod.h
usr/src/head/protocols/timed.h
usr/src/head/resolv.h
usr/src/head/rpc/mp.h
usr/src/head/rpcsvc/dbm.h
usr/src/head/rpcsvc/mount.h
usr/src/head/rpcsvc/rstat.h
usr/src/head/rpcsvc/rusers.h
usr/src/head/rpcsvc/rwall.h
usr/src/head/rpcsvc/spray.h
usr/src/head/rpcsvc/yp_prot.h
usr/src/head/rpcsvc/ypclnt.h
usr/src/head/rpcsvc/ypupd.h
usr/src/head/sys/un.h
▬▬▬▬▬▬▬▬

usr/src/head/utmpx.h
usr/src/lib/libc/port/gen/getutx.c
usr/src/lib/libc/port/gen/qsort.c
usr/src/lib/libc/port/gen/syslog.c
usr/src/lib/libmp/gcd.c
usr/src/lib/libmp/madd.c
usr/src/lib/libmp/mdiv.c
usr/src/lib/libmp/mout.c
usr/src/lib/libmp/msqrt.c
usr/src/lib/libmp/mult.c
usr/src/lib/libmp/ngcd.c
usr/src/lib/libmp/pow.c
usr/src/lib/libmp/util.c
usr/src/lib/librpcsvc/klm_prot.c
usr/src/lib/librpcsvc/klm_prot.h
usr/src/lib/librpcsvc/klm_prot.x
usr/src/lib/librpcsvc/nlm_prot.c
usr/src/lib/librpcsvc/nlm_prot.h
usr/src/lib/librpcsvc/nlm_prot.x
usr/src/lib/librpcsvc/rusersxdr.c
usr/src/lib/librpcsvc/rwall.x
usr/src/lib/librpcsvc/rwallxdr.c
usr/src/lib/librpcsvc/sm_inter.c
usr/src/lib/librpcsvc/sm_inter.h
usr/src/lib/librpcsvc/sm_inter.x
usr/src/lib/librpcsvc/spray.x
usr/src/lib/librpcsvc/sprayxdr.c
usr/src/lib/libsocket/inet/bindresvport.c
usr/src/lib/libsocket/inet/byteorder.c
```

```
usr/src/lib/libsocket/inet/ether_addr.c
usr/src/lib/libsocket/inet/getdomainame.c
usr/src/lib/libsocket/inet/gethostent.c
usr/src/lib/libsocket/inet/gethostname.c
usr/src/lib/libsocket/inet/getnetbyaddr.c
usr/src/lib/libsocket/inet/getnetbyname.c
usr/src/lib/libsocket/inet/getnetent.c
usr/src/lib/libsocket/inet/getproto.c
usr/src/lib/libsocket/inet/getprotoent.c
usr/src/lib/libsocket/inet/getprotoname.c
usr/src/lib/libsocket/inet/getservent.c
usr/src/lib/libsocket/inet/gthostnamadr.c
usr/src/lib/libsocket/inet/gtservbyname.c
usr/src/lib/libsocket/inet/gtservbyport.c
usr/src/lib/libsocket/inet/inet.mk
usr/src/lib/libsocket/inet/inet_addr.c
usr/src/lib/libsocket/inet/inet_lnaof.c
usr/src/lib/libsocket/inet/inet_mkaddr.c
usr/src/lib/libsocket/inet/inet_netof.c
usr/src/lib/libsocket/inet/inet_network.c
usr/src/lib/libsocket/inet/inet_ntoa.c
usr/src/lib/libsocket/inet/inet_sethost.c
usr/src/lib/libsocket/inet/nd_gethost.c
usr/src/lib/libsocket/inet/rcmd.c
usr/src/lib/libsocket/inet/rexec.c
usr/src/lib/libsocket/inet/ruserpass.c
usr/src/lib/libsocket/socket/_conn_util.c
usr/src/lib/libsocket/socket/_utility.c
usr/src/lib/libsocket/socket/accept.c
usr/src/lib/libsocket/socket/bind.c
usr/src/lib/libsocket/socket/connect.c
usr/src/lib/libsocket/socket/getpeernm.c
usr/src/lib/libsocket/socket/getsocknm.c
usr/src/lib/libsocket/socket/getsockopt.c
usr/src/lib/libsocket/socket/listen.c
usr/src/lib/libsocket/socket/receive.c
usr/src/lib/libsocket/socket/s_ioctl.c
usr/src/lib/libsocket/socket/send.c
usr/src/lib/libsocket/socket/setpeernm.c
usr/src/lib/libsocket/socket/setsocknm.c
usr/src/lib/libsocket/socket/setsockopt.c
usr/src/lib/libsocket/socket/shutdown.c
usr/src/lib/libsocket/socket/socket.c
usr/src/lib/libsocket/socket/socket.mk
usr/src/lib/libsocket/socket/socketpair.c
usr/src/lib/nametoaddr/resolv/libresolv/gthostnamadr.c
usr/src/lib/nametoaddr/resolv/libresolv/libresolv.mk
usr/src/lib/nametoaddr/resolv/libresolv/res_comp.c
usr/src/lib/nametoaddr/resolv/libresolv/res_debug.c
usr/src/lib/nametoaddr/resolv/libresolv/res_init.c
usr/src/lib/nametoaddr/resolv/libresolv/res_mkquery.c
usr/src/lib/nametoaddr/resolv/libresolv/res_query.c
usr/src/lib/nametoaddr/resolv/libresolv/res_send.c
usr/src/lib/nametoaddr/resolv/libresolv/sethostent.c
usr/src/lib/nametoaddr/resolv/libresolv/strcasecmp.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/bindresvport.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/byteorder.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/ether_addr.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/getnetbyaddr.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/getnetbyname.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/getnetent.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/getproto.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/getprotoent.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/getprotoname.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/getservent.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/gtservbyname.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/gtservbyport.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/inet.mk
usr/src/lib/nametoaddr/resolv/libsocket/inet/inet_addr.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/inet_lnaof.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/inet_mkaddr.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/inet_netof.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/inet_network.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/rcmd.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/rexec.c
usr/src/lib/nametoaddr/resolv/libsocket/inet/ruserpass.c
usr/src/lib/nametoaddr/resolv/libsocket/libsocket.mk
usr/src/lib/nametoaddr/resolv/libsocket/socket/_conn_util.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/_utility.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/accept.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/bind.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/connect.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/getpeernm.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/getsocknm.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/getsockopt.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/listen.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/receive.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/s_ioctl.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/send.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/setpeernm.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/setsocknm.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/setsockopt.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/shutdown.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/socket.c
usr/src/lib/nametoaddr/resolv/libsocket/socket/socket.mk
usr/src/lib/nametoaddr/resolv/libsocket/socket/socketpair.c
usr/src/lib/nametoaddr/tcpip/file_db.c
usr/src/lib/nametoaddr/tcpip/tcpip.c
usr/src/lib/xlibcurses/demo/rain.6
usr/src/lib/xlibcurses/demo/rain.c
usr/src/lib/xlibcurses/demo/worms.6
usr/src/lib/xlibcurses/demo/worms.c
usr/src/lib/xlibcurses/screen/V2.__sscans.c
usr/src/lib/xlibcurses/screen/V2._sprintw.c
usr/src/lib/xlibcurses/screen/V2.makenew.c
usr/src/lib/xlibcurses/screen/V3.box.c
usr/src/lib/xlibcurses/screen/V3.initscr.c
usr/src/lib/xlibcurses/screen/V3.m_addch.c
usr/src/lib/xlibcurses/screen/V3.m_addstr.c
usr/src/lib/xlibcurses/screen/V3.m_clear.c
usr/src/lib/xlibcurses/screen/V3.m_erase.c
usr/src/lib/xlibcurses/screen/V3.m_initscr.c
usr/src/lib/xlibcurses/screen/V3.m_move.c
usr/src/lib/xlibcurses/screen/V3.m_newterm.c
usr/src/lib/xlibcurses/screen/V3.m_refresh.c
usr/src/lib/xlibcurses/screen/V3.newterm.c
usr/src/lib/xlibcurses/screen/V3.pechochar.c
usr/src/lib/xlibcurses/screen/V3.upd_old_y.c
usr/src/lib/xlibcurses/screen/V3.vidattr.c
usr/src/lib/xlibcurses/screen/V3.vidputs.c
usr/src/lib/xlibcurses/screen/V3.waddch.c
usr/src/lib/xlibcurses/screen/V3.wattroff.c
usr/src/lib/xlibcurses/screen/V3.wattron.c
usr/src/lib/xlibcurses/screen/V3.wattrset.c
usr/src/lib/xlibcurses/screen/V3.wechochar.c
usr/src/lib/xlibcurses/screen/V3.winsch.c
usr/src/lib/xlibcurses/screen/_addch.c
usr/src/lib/xlibcurses/screen/_addchnstr.c
```

```
usr/src/lib/xlibcurses/screen/_addchstr.c
usr/src/lib/xlibcurses/screen/_addnstr.c
usr/src/lib/xlibcurses/screen/_addstr.c
usr/src/lib/xlibcurses/screen/_attroff.c
usr/src/lib/xlibcurses/screen/_attron.c
usr/src/lib/xlibcurses/screen/_attrset.c
usr/src/lib/xlibcurses/screen/_beep.c
usr/src/lib/xlibcurses/screen/_bkgd.c
usr/src/lib/xlibcurses/screen/_bkgdset.c
usr/src/lib/xlibcurses/screen/_border.c
usr/src/lib/xlibcurses/screen/_box.c
usr/src/lib/xlibcurses/screen/_clear.c
usr/src/lib/xlibcurses/screen/_clrtobot.c
usr/src/lib/xlibcurses/screen/_clrtoeol.c
usr/src/lib/xlibcurses/screen/_crmode.c
usr/src/lib/xlibcurses/screen/_del_curterm.c
usr/src/lib/xlibcurses/screen/_delch.c
usr/src/lib/xlibcurses/screen/_deleteln.c
usr/src/lib/xlibcurses/screen/_echo.c
usr/src/lib/xlibcurses/screen/_echochar.c
usr/src/lib/xlibcurses/screen/_erase.c
usr/src/lib/xlibcurses/screen/_fixterm.c
usr/src/lib/xlibcurses/screen/_flash.c
usr/src/lib/xlibcurses/screen/_garbagdlins.c
usr/src/lib/xlibcurses/screen/_garbagedwin.c
usr/src/lib/xlibcurses/screen/_getch.c
usr/src/lib/xlibcurses/screen/_getstr.c
usr/src/lib/xlibcurses/screen/_halfdelay.c
usr/src/lib/xlibcurses/screen/_hline.c
usr/src/lib/xlibcurses/screen/_inch.c
usr/src/lib/xlibcurses/screen/_inchnstr.c
usr/src/lib/xlibcurses/screen/_inchstr.c
usr/src/lib/xlibcurses/screen/_innstr.c
usr/src/lib/xlibcurses/screen/_insch.c
usr/src/lib/xlibcurses/screen/_insdelln.c
usr/src/lib/xlibcurses/screen/_insertln.c
usr/src/lib/xlibcurses/screen/_insnstr.c
usr/src/lib/xlibcurses/screen/_insstr.c
usr/src/lib/xlibcurses/screen/_instr.c
usr/src/lib/xlibcurses/screen/_intrflush.c
usr/src/lib/xlibcurses/screen/_meta.c
usr/src/lib/xlibcurses/screen/_move.c
usr/src/lib/xlibcurses/screen/_mvaddch.c
usr/src/lib/xlibcurses/screen/_mvaddchnstr.c
usr/src/lib/xlibcurses/screen/_mvaddchstr.c
usr/src/lib/xlibcurses/screen/_mvaddnstr.c
usr/src/lib/xlibcurses/screen/_mvaddstr.c
usr/src/lib/xlibcurses/screen/_mvdelch.c
usr/src/lib/xlibcurses/screen/_mvgetch.c
usr/src/lib/xlibcurses/screen/_mvgetstr.c
usr/src/lib/xlibcurses/screen/_mvhline.c
usr/src/lib/xlibcurses/screen/_mvinch.c
usr/src/lib/xlibcurses/screen/_mvinchnstr.c
usr/src/lib/xlibcurses/screen/_mvinchstr.c
usr/src/lib/xlibcurses/screen/_mvinnstr.c
usr/src/lib/xlibcurses/screen/_mvinsch.c
usr/src/lib/xlibcurses/screen/_mvinsnstr.c
usr/src/lib/xlibcurses/screen/_mvinsstr.c
usr/src/lib/xlibcurses/screen/_mvinstr.c
usr/src/lib/xlibcurses/screen/_mvvline.c
usr/src/lib/xlibcurses/screen/_mvwaddch.c
usr/src/lib/xlibcurses/screen/_mvwaddchnst.c
usr/src/lib/xlibcurses/screen/_mvwaddchstr.c
usr/src/lib/xlibcurses/screen/_mvwaddnstr.c
usr/src/lib/xlibcurses/screen/_mvwaddstr.c
usr/src/lib/xlibcurses/screen/_mvwdelch.c
usr/src/lib/xlibcurses/screen/_mvwgetch.c
usr/src/lib/xlibcurses/screen/_mvwgetstr.c
usr/src/lib/xlibcurses/screen/_mvwhline.c
usr/src/lib/xlibcurses/screen/_mvwinch.c
usr/src/lib/xlibcurses/screen/_mvwinchnst.c
usr/src/lib/xlibcurses/screen/_mvwinchstr.c
usr/src/lib/xlibcurses/screen/_mvwinnstr.c
usr/src/lib/xlibcurses/screen/_mvwinsch.c
usr/src/lib/xlibcurses/screen/_mvwinsnstr.c
usr/src/lib/xlibcurses/screen/_mvwinsstr.c
usr/src/lib/xlibcurses/screen/_mvwinstr.c
usr/src/lib/xlibcurses/screen/_mvwvline.c
usr/src/lib/xlibcurses/screen/_newterm.c
usr/src/lib/xlibcurses/screen/_nl.c
usr/src/lib/xlibcurses/screen/_nocrmode.c
usr/src/lib/xlibcurses/screen/_noecho.c
usr/src/lib/xlibcurses/screen/_nonl.c
usr/src/lib/xlibcurses/screen/_noqiflush.c
usr/src/lib/xlibcurses/screen/_overlay.c
usr/src/lib/xlibcurses/screen/_overwrite.c
usr/src/lib/xlibcurses/screen/_qiflush.c
usr/src/lib/xlibcurses/screen/_refresh.c
usr/src/lib/xlibcurses/screen/_resetterm.c
usr/src/lib/xlibcurses/screen/_saveterm.c
usr/src/lib/xlibcurses/screen/_scr_init.c
usr/src/lib/xlibcurses/screen/_scr_restore.c
usr/src/lib/xlibcurses/screen/_scr_set.c
usr/src/lib/xlibcurses/screen/_scrl.c
usr/src/lib/xlibcurses/screen/_scroll.c
usr/src/lib/xlibcurses/screen/_set_curterm.c
usr/src/lib/xlibcurses/screen/_set_term.c
usr/src/lib/xlibcurses/screen/_setscrreg.c
usr/src/lib/xlibcurses/screen/_slk_init.c
usr/src/lib/xlibcurses/screen/_standend.c
usr/src/lib/xlibcurses/screen/_standout.c
usr/src/lib/xlibcurses/screen/_subpad.c
usr/src/lib/xlibcurses/screen/_timeout.c
usr/src/lib/xlibcurses/screen/_touchline.c
usr/src/lib/xlibcurses/screen/_unctrl.c
usr/src/lib/xlibcurses/screen/_vline.c
usr/src/lib/xlibcurses/screen/_waddchstr.c
usr/src/lib/xlibcurses/screen/_waddstr.c
usr/src/lib/xlibcurses/screen/_wclear.c
usr/src/lib/xlibcurses/screen/_wdeleteln.c
usr/src/lib/xlibcurses/screen/_werase.c
usr/src/lib/xlibcurses/screen/_winsertln.c
usr/src/lib/xlibcurses/screen/_winsstr.c
usr/src/lib/xlibcurses/screen/_wstandend.c
usr/src/lib/xlibcurses/screen/_wstandout.c
usr/src/lib/xlibcurses/screen/baudrate.c
usr/src/lib/xlibcurses/screen/can_change.c
usr/src/lib/xlibcurses/screen/caps
usr/src/lib/xlibcurses/screen/captoinfo.c
usr/src/lib/xlibcurses/screen/cbreak.c
usr/src/lib/xlibcurses/screen/cexpand.c
usr/src/lib/xlibcurses/screen/chgtinfo.1
usr/src/lib/xlibcurses/screen/chgtinfo.c
usr/src/lib/xlibcurses/screen/chkinput.c
usr/src/lib/xlibcurses/screen/clearok.c
usr/src/lib/xlibcurses/screen/color_cont.c
usr/src/lib/xlibcurses/screen/compiler.h
usr/src/lib/xlibcurses/screen/copyright.h
```

EXHIBIT C
page 8 of 17

usr/src/lib/xlibcurses/screen/copywin.c
usr/src/lib/xlibcurses/screen/curs_set.c
usr/src/lib/xlibcurses/screen/curserr.c
usr/src/lib/xlibcurses/screen/curses.c
usr/src/lib/xlibcurses/screen/curses.ed
usr/src/lib/xlibcurses/screen/curses_inc.h
usr/src/lib/xlibcurses/screen/curshdr.h
usr/src/lib/xlibcurses/screen/def_prog.c
usr/src/lib/xlibcurses/screen/delay.c
usr/src/lib/xlibcurses/screen/delay_out.c
usr/src/lib/xlibcurses/screen/delkey.c
usr/src/lib/xlibcurses/screen/delkeymap.c
usr/src/lib/xlibcurses/screen/delscreen.c
usr/src/lib/xlibcurses/screen/delterm.c
usr/src/lib/xlibcurses/screen/delwin.c
usr/src/lib/xlibcurses/screen/derwin.c
usr/src/lib/xlibcurses/screen/doprnt.c
usr/src/lib/xlibcurses/screen/doscan.c
usr/src/lib/xlibcurses/screen/doupdate.c
usr/src/lib/xlibcurses/screen/draino.c
usr/src/lib/xlibcurses/screen/dupwin.c
usr/src/lib/xlibcurses/screen/endwin.c
usr/src/lib/xlibcurses/screen/erasechar.c
usr/src/lib/xlibcurses/screen/flushinp.c
usr/src/lib/xlibcurses/screen/getattrs.c
usr/src/lib/xlibcurses/screen/getbegyx.c
usr/src/lib/xlibcurses/screen/getbkgd.c
usr/src/lib/xlibcurses/screen/getmaxyx.c
usr/src/lib/xlibcurses/screen/getopt.c
usr/src/lib/xlibcurses/screen/getparyx.c
usr/src/lib/xlibcurses/screen/getsyx.c
usr/src/lib/xlibcurses/screen/gettmode.c
usr/src/lib/xlibcurses/screen/getwin.c
usr/src/lib/xlibcurses/screen/getyx.c
usr/src/lib/xlibcurses/screen/has_colors.c
usr/src/lib/xlibcurses/screen/has_ic.c
usr/src/lib/xlibcurses/screen/has_il.c
usr/src/lib/xlibcurses/screen/idcok.c
usr/src/lib/xlibcurses/screen/idlok.c
usr/src/lib/xlibcurses/screen/iexpand.c
usr/src/lib/xlibcurses/screen/immedok.c
usr/src/lib/xlibcurses/screen/infocmp.c
usr/src/lib/xlibcurses/screen/infotocap.c
usr/src/lib/xlibcurses/screen/init_acs.c
usr/src/lib/xlibcurses/screen/init_color.c
usr/src/lib/xlibcurses/screen/init_costs.c
usr/src/lib/xlibcurses/screen/init_pair.c
usr/src/lib/xlibcurses/screen/initscr.c
usr/src/lib/xlibcurses/screen/is_linetou.c
usr/src/lib/xlibcurses/screen/is_wintou.c
usr/src/lib/xlibcurses/screen/keyname.sh
usr/src/lib/xlibcurses/screen/keypad.c
usr/src/lib/xlibcurses/screen/killchar.c
usr/src/lib/xlibcurses/screen/leaveok.c
usr/src/lib/xlibcurses/screen/llib-lcurses
usr/src/lib/xlibcurses/screen/longname.c
usr/src/lib/xlibcurses/screen/makefile
usr/src/lib/xlibcurses/screen/makefile.bsd
usr/src/lib/xlibcurses/screen/makenew.c
usr/src/lib/xlibcurses/screen/maketerm.ed
usr/src/lib/xlibcurses/screen/memSset.c
usr/src/lib/xlibcurses/screen/meta.c
usr/src/lib/xlibcurses/screen/mouse.c
usr/src/lib/xlibcurses/screen/mvcur.c

usr/src/lib/xlibcurses/screen/mvderwin.c
usr/src/lib/xlibcurses/screen/mvprintw.c
usr/src/lib/xlibcurses/screen/mvscanw.c
usr/src/lib/xlibcurses/screen/mvwin.c
usr/src/lib/xlibcurses/screen/mvwprintw.c
usr/src/lib/xlibcurses/screen/mvwscanw.c
usr/src/lib/xlibcurses/screen/napms.c
usr/src/lib/xlibcurses/screen/newkey.c
usr/src/lib/xlibcurses/screen/newpad.c
usr/src/lib/xlibcurses/screen/newscreen.c
usr/src/lib/xlibcurses/screen/newwin.c
usr/src/lib/xlibcurses/screen/nocbreak.c
usr/src/lib/xlibcurses/screen/nodelay.c
usr/src/lib/xlibcurses/screen/noraw.c
usr/src/lib/xlibcurses/screen/notimeout.c
usr/src/lib/xlibcurses/screen/object.h
usr/src/lib/xlibcurses/screen/otermcap.c
usr/src/lib/xlibcurses/screen/otermcap.h
usr/src/lib/xlibcurses/screen/outch.c
usr/src/lib/xlibcurses/screen/overlap.c
usr/src/lib/xlibcurses/screen/pair_cont.c
usr/src/lib/xlibcurses/screen/pechochar.c
usr/src/lib/xlibcurses/screen/pnoutref.c
usr/src/lib/xlibcurses/screen/prefresh.c
usr/src/lib/xlibcurses/screen/print.c
usr/src/lib/xlibcurses/screen/print.h
usr/src/lib/xlibcurses/screen/printw.c
usr/src/lib/xlibcurses/screen/putp.c
usr/src/lib/xlibcurses/screen/putwin.c
usr/src/lib/xlibcurses/screen/quick_echo.c
usr/src/lib/xlibcurses/screen/raw.c
usr/src/lib/xlibcurses/screen/redrawwin.c
usr/src/lib/xlibcurses/screen/reset_sh.c
usr/src/lib/xlibcurses/screen/resetty.c
usr/src/lib/xlibcurses/screen/restart.c
usr/src/lib/xlibcurses/screen/ring.c
usr/src/lib/xlibcurses/screen/ripoffline.c
usr/src/lib/xlibcurses/screen/rmident.sh
usr/src/lib/xlibcurses/screen/savetty.c
usr/src/lib/xlibcurses/screen/scanw.c
usr/src/lib/xlibcurses/screen/scr_all.c
usr/src/lib/xlibcurses/screen/scr_dump.c
usr/src/lib/xlibcurses/screen/scr_ll_dump.c
usr/src/lib/xlibcurses/screen/scr_reset.c
usr/src/lib/xlibcurses/screen/scrollok.c
usr/src/lib/xlibcurses/screen/setcurscreen.c
usr/src/lib/xlibcurses/screen/setcurterm.c
usr/src/lib/xlibcurses/screen/setecho.c
usr/src/lib/xlibcurses/screen/setkeymap.c
usr/src/lib/xlibcurses/screen/setnonl.c
usr/src/lib/xlibcurses/screen/setqiflush.c
usr/src/lib/xlibcurses/screen/setsyx.c
usr/src/lib/xlibcurses/screen/setterm.c
usr/src/lib/xlibcurses/screen/setupterm.c
usr/src/lib/xlibcurses/screen/show.c
usr/src/lib/xlibcurses/screen/slk_atroff.c
usr/src/lib/xlibcurses/screen/slk_atron.c
usr/src/lib/xlibcurses/screen/slk_atrset.c
usr/src/lib/xlibcurses/screen/slk_clear.c
usr/src/lib/xlibcurses/screen/slk_label.c
usr/src/lib/xlibcurses/screen/slk_noutref.c
usr/src/lib/xlibcurses/screen/slk_refresh.c
usr/src/lib/xlibcurses/screen/slk_restore.c
usr/src/lib/xlibcurses/screen/slk_set.c

```
usr/src/lib/xlibcurses/screen/slk_start.c
usr/src/lib/xlibcurses/screen/slk_touch.c
usr/src/lib/xlibcurses/screen/start_col.c
usr/src/lib/xlibcurses/screen/subwin.c
usr/src/lib/xlibcurses/screen/syncok.c
usr/src/lib/xlibcurses/screen/tcsearch.c
usr/src/lib/xlibcurses/screen/termattrs.c
usr/src/lib/xlibcurses/screen/termcap.ed
usr/src/lib/xlibcurses/screen/termerr.c
usr/src/lib/xlibcurses/screen/termname.c
usr/src/lib/xlibcurses/screen/testterminfo.c
usr/src/lib/xlibcurses/screen/tgetch.c
usr/src/lib/xlibcurses/screen/tgoto.c
usr/src/lib/xlibcurses/screen/tic_captab.c
usr/src/lib/xlibcurses/screen/tic_error.c
usr/src/lib/xlibcurses/screen/tic_hash.c
usr/src/lib/xlibcurses/screen/tic_main.c
usr/src/lib/xlibcurses/screen/tic_parse.c
usr/src/lib/xlibcurses/screen/tic_read.c
usr/src/lib/xlibcurses/screen/tic_scan.c
usr/src/lib/xlibcurses/screen/tifget.ed
usr/src/lib/xlibcurses/screen/tiget.ed
usr/src/lib/xlibcurses/screen/tinputfd.c
usr/src/lib/xlibcurses/screen/touchwin.c
usr/src/lib/xlibcurses/screen/tparm.c
usr/src/lib/xlibcurses/screen/tput.c
usr/src/lib/xlibcurses/screen/tputs.c
usr/src/lib/xlibcurses/screen/trace.c
usr/src/lib/xlibcurses/screen/tstp.c
usr/src/lib/xlibcurses/screen/ttimeout.c
usr/src/lib/xlibcurses/screen/typeahead.c
usr/src/lib/xlibcurses/screen/unctrl.c
usr/src/lib/xlibcurses/screen/unctrl.h
usr/src/lib/xlibcurses/screen/ungetch.c
usr/src/lib/xlibcurses/screen/untouchwin.c
usr/src/lib/xlibcurses/screen/use_env.c
usr/src/lib/xlibcurses/screen/vidputs.c
usr/src/lib/xlibcurses/screen/vidupdate.c
usr/src/lib/xlibcurses/screen/vsprintf.c
usr/src/lib/xlibcurses/screen/vsscanf.c
usr/src/lib/xlibcurses/screen/vwprintw.c
usr/src/lib/xlibcurses/screen/vwscanw.c
usr/src/lib/xlibcurses/screen/waddch.c
usr/src/lib/xlibcurses/screen/waddchnstr.c
usr/src/lib/xlibcurses/screen/waddnstr.c
usr/src/lib/xlibcurses/screen/wattroff.c
usr/src/lib/xlibcurses/screen/wattron.c
usr/src/lib/xlibcurses/screen/wattrset.c
usr/src/lib/xlibcurses/screen/wbkgd.c
usr/src/lib/xlibcurses/screen/wbkgdset.c
usr/src/lib/xlibcurses/screen/wborder.c
usr/src/lib/xlibcurses/screen/wclrtobot.c
usr/src/lib/xlibcurses/screen/wclrtoeol.c
usr/src/lib/xlibcurses/screen/wdelch.c
usr/src/lib/xlibcurses/screen/wechochar.c
usr/src/lib/xlibcurses/screen/wgetch.c
usr/src/lib/xlibcurses/screen/wgetstr.c
usr/src/lib/xlibcurses/screen/whline.c
usr/src/lib/xlibcurses/screen/winch.c
usr/src/lib/xlibcurses/screen/winchnstr.c
usr/src/lib/xlibcurses/screen/winchstr.c
usr/src/lib/xlibcurses/screen/winnstr.c
usr/src/lib/xlibcurses/screen/winsch.c
usr/src/lib/xlibcurses/screen/winsdelln.c
usr/src/lib/xlibcurses/screen/winsnstr.c
usr/src/lib/xlibcurses/screen/winstr.c
usr/src/lib/xlibcurses/screen/wmove.c
usr/src/lib/xlibcurses/screen/wnoutref.c
usr/src/lib/xlibcurses/screen/wprintw.c
usr/src/lib/xlibcurses/screen/wredrawln.c
usr/src/lib/xlibcurses/screen/wrefresh.c
usr/src/lib/xlibcurses/screen/wscanw.c
usr/src/lib/xlibcurses/screen/wscrl.c
usr/src/lib/xlibcurses/screen/wsetscrreg.c
usr/src/lib/xlibcurses/screen/wsyncdown.c
usr/src/lib/xlibcurses/screen/wsyncup.c
usr/src/lib/xlibcurses/screen/wtimeout.c
usr/src/lib/xlibcurses/screen/wtouchln.c
usr/src/lib/xlibcurses/screen/wvline.c
usr/src/ucbcmd/basename/basename.c
usr/src/ucbcmd/biff/biff.c
usr/src/ucbcmd/biff/biff.mk
usr/src/ucbcmd/cc/cc.mk
usr/src/ucbcmd/cc/cc.sh
usr/src/ucbcmd/checkeq/checkeq.c
usr/src/ucbcmd/checknr/checknr.c
usr/src/ucbcmd/chown/chown.c
usr/src/ucbcmd/chown/chown.mk
usr/src/ucbcmd/deroff/deroff.c
usr/src/ucbcmd/df/df.c
usr/src/ucbcmd/df/df.mk
usr/src/ucbcmd/du/du.c
usr/src/ucbcmd/echo/echo.c
usr/src/ucbcmd/eqn/diacrit.c
usr/src/ucbcmd/eqn/e.h
usr/src/ucbcmd/eqn/eqnbox.c
usr/src/ucbcmd/eqn/font.c
usr/src/ucbcmd/eqn/fromto.c
usr/src/ucbcmd/eqn/funny.c
usr/src/ucbcmd/eqn/glob.c
usr/src/ucbcmd/eqn/integral.c
usr/src/ucbcmd/eqn/io.c
usr/src/ucbcmd/eqn/lex.c
usr/src/ucbcmd/eqn/lookup.c
usr/src/ucbcmd/eqn/mark.c
usr/src/ucbcmd/eqn/matrix.c
usr/src/ucbcmd/eqn/move.c
usr/src/ucbcmd/eqn/over.c
usr/src/ucbcmd/eqn/paren.c
usr/src/ucbcmd/eqn/pile.c
usr/src/ucbcmd/eqn/shift.c
usr/src/ucbcmd/eqn/size.c
usr/src/ucbcmd/eqn/sqrt.c
usr/src/ucbcmd/eqn/text.c
usr/src/ucbcmd/expand/expand.c
usr/src/ucbcmd/expand/expand.mk
usr/src/ucbcmd/expand/unexpand.c
usr/src/ucbcmd/fastboot/fastboot.mk
usr/src/ucbcmd/fastboot/fastboot.sh
usr/src/ucbcmd/fasthalt/fasthalt.mk
usr/src/ucbcmd/fasthalt/fasthalt.sh
usr/src/ucbcmd/fsirand/fsirand.c
usr/src/ucbcmd/fsirand/fsirand.mk
usr/src/ucbcmd/groups/groups.c
usr/src/ucbcmd/groups/groups.mk
usr/src/ucbcmd/grpck/grpck.c
usr/src/ucbcmd/grpck/grpck.mk
usr/src/ucbcmd/halt/halt.c
```

EXHIBIT C
Page 9 of 17

```
usr/src/ucbcmd/halt/halt.c
usr/src/ucbcmd/halt/halt.mk
usr/src/ucbcmd/halt/halt.mk
usr/src/ucbcmd/hostid/hostid.c
usr/src/ucbcmd/hostid/hostid.c
usr/src/ucbcmd/hostid/hostid.mk
usr/src/ucbcmd/hostid/hostid.mk
usr/src/ucbcmd/install/install.c
usr/src/ucbcmd/install/install.mk
usr/src/ucbcmd/lastcomm/lastcomm.c
usr/src/ucbcmd/ld/ld.mk
usr/src/ucbcmd/lint/lint.mk
usr/src/ucbcmd/lint/lint.sh
usr/src/ucbcmd/ln/ln.c
usr/src/ucbcmd/logger/logger.c
usr/src/ucbcmd/logger/logger.mk
usr/src/ucbcmd/look/look.c
usr/src/ucbcmd/ls/ls.c
usr/src/ucbcmd/ls/ls.mk
usr/src/ucbcmd/mach/mach.mk
usr/src/ucbcmd/mach/mach.sh
usr/src/ucbcmd/man/catman.c
usr/src/ucbcmd/man/getNAME.c
usr/src/ucbcmd/man/makewhatis.sh
usr/src/ucbcmd/man/man.c
usr/src/ucbcmd/man/man.mk
usr/src/ucbcmd/mt/mt.c
usr/src/ucbcmd/mt/mt.mk
usr/src/ucbcmd/mt/sun/dkio.h
usr/src/ucbcmd/mt/sun/dklabel.h
usr/src/ucbcmd/mt/sundev/arreg.h
usr/src/ucbcmd/mt/sundev/screg.h
usr/src/ucbcmd/mt/sundev/scsi.h
usr/src/ucbcmd/mt/sundev/sireg.h
usr/src/ucbcmd/mt/sundev/tmreg.h
usr/src/ucbcmd/mt/sundev/xtreg.h
usr/src/ucbcmd/pagesize/pagesize.c
usr/src/ucbcmd/pagesize/pagesize.mk
usr/src/ucbcmd/plot/atoplot.c
usr/src/ucbcmd/plot/chrtab.c
usr/src/ucbcmd/plot/crtdriver.c
usr/src/ucbcmd/plot/crtplot.c
usr/src/ucbcmd/plot/debug.c
usr/src/ucbcmd/plot/driver.c
usr/src/ucbcmd/plot/libplot/aed/aed.h
usr/src/ucbcmd/plot/libplot/aed/arc.c
usr/src/ucbcmd/plot/libplot/aed/box.c
usr/src/ucbcmd/plot/libplot/aed/circle.c
usr/src/ucbcmd/plot/libplot/aed/close.c
usr/src/ucbcmd/plot/libplot/aed/cont.c
usr/src/ucbcmd/plot/libplot/aed/dot.c
usr/src/ucbcmd/plot/libplot/aed/erase.c
usr/src/ucbcmd/plot/libplot/aed/label.c
usr/src/ucbcmd/plot/libplot/aed/linemod.c
usr/src/ucbcmd/plot/libplot/aed/move.c
usr/src/ucbcmd/plot/libplot/aed/open.c
usr/src/ucbcmd/plot/libplot/aed/point.c
usr/src/ucbcmd/plot/libplot/aed/space.c
usr/src/ucbcmd/plot/libplot/aed/subr.c
usr/src/ucbcmd/plot/libplot/bitgraph/arc.c
usr/src/ucbcmd/plot/libplot/bitgraph/bg.h
usr/src/ucbcmd/plot/libplot/bitgraph/box.c
usr/src/ucbcmd/plot/libplot/bitgraph/circle.c
usr/src/ucbcmd/plot/libplot/bitgraph/close.c
```

```
usr/src/ucbcmd/plot/libplot/bitgraph/cont.c
usr/src/ucbcmd/plot/libplot/bitgraph/dot.c
usr/src/ucbcmd/plot/libplot/bitgraph/erase.c
usr/src/ucbcmd/plot/libplot/bitgraph/label.c
usr/src/ucbcmd/plot/libplot/bitgraph/line.c
usr/src/ucbcmd/plot/libplot/bitgraph/linemod.c
usr/src/ucbcmd/plot/libplot/bitgraph/move.c
usr/src/ucbcmd/plot/libplot/bitgraph/open.c
usr/src/ucbcmd/plot/libplot/bitgraph/point.c
usr/src/ucbcmd/plot/libplot/bitgraph/space.c
usr/src/ucbcmd/plot/libplot/dumb/arc.c
usr/src/ucbcmd/plot/libplot/dumb/box.c
usr/src/ucbcmd/plot/libplot/dumb/circle.c
usr/src/ucbcmd/plot/libplot/dumb/close.c
usr/src/ucbcmd/plot/libplot/dumb/cont.c
usr/src/ucbcmd/plot/libplot/dumb/dot.c
usr/src/ucbcmd/plot/libplot/dumb/dumb.h
usr/src/ucbcmd/plot/libplot/dumb/erase.c
usr/src/ucbcmd/plot/libplot/dumb/label.c
usr/src/ucbcmd/plot/libplot/dumb/line.c
usr/src/ucbcmd/plot/libplot/dumb/linemod.c
usr/src/ucbcmd/plot/libplot/dumb/move.c
usr/src/ucbcmd/plot/libplot/dumb/open.c
usr/src/ucbcmd/plot/libplot/dumb/point.c
usr/src/ucbcmd/plot/libplot/dumb/space.c
usr/src/ucbcmd/plot/libplot/dumb/subr.c
usr/src/ucbcmd/plot/libplot/gigi/arc.c
usr/src/ucbcmd/plot/libplot/gigi/box.c
usr/src/ucbcmd/plot/libplot/gigi/circle.c
usr/src/ucbcmd/plot/libplot/gigi/close.c
usr/src/ucbcmd/plot/libplot/gigi/cont.c
usr/src/ucbcmd/plot/libplot/gigi/dot.c
usr/src/ucbcmd/plot/libplot/gigi/erase.c
usr/src/ucbcmd/plot/libplot/gigi/gigi.h
usr/src/ucbcmd/plot/libplot/gigi/label.c
usr/src/ucbcmd/plot/libplot/gigi/line.c
usr/src/ucbcmd/plot/libplot/gigi/linemod.c
usr/src/ucbcmd/plot/libplot/gigi/move.c
usr/src/ucbcmd/plot/libplot/gigi/open.c
usr/src/ucbcmd/plot/libplot/gigi/point.c
usr/src/ucbcmd/plot/libplot/gigi/space.c
usr/src/ucbcmd/plot/libplot/hp2648/arc.c
usr/src/ucbcmd/plot/libplot/hp2648/box.c
usr/src/ucbcmd/plot/libplot/hp2648/circle.c
usr/src/ucbcmd/plot/libplot/hp2648/close.c
usr/src/ucbcmd/plot/libplot/hp2648/cont.c
usr/src/ucbcmd/plot/libplot/hp2648/dot.c
usr/src/ucbcmd/plot/libplot/hp2648/erase.c
usr/src/ucbcmd/plot/libplot/hp2648/hp2648.h
usr/src/ucbcmd/plot/libplot/hp2648/label.c
usr/src/ucbcmd/plot/libplot/hp2648/line.c
usr/src/ucbcmd/plot/libplot/hp2648/linemod.c
usr/src/ucbcmd/plot/libplot/hp2648/move.c
usr/src/ucbcmd/plot/libplot/hp2648/open.c
usr/src/ucbcmd/plot/libplot/hp2648/point.c
usr/src/ucbcmd/plot/libplot/hp2648/space.c
usr/src/ucbcmd/plot/libplot/hp2648/subr.c
usr/src/ucbcmd/plot/libplot/hp7221/arc.c
usr/src/ucbcmd/plot/libplot/hp7221/box.c
usr/src/ucbcmd/plot/libplot/hp7221/circle.c
usr/src/ucbcmd/plot/libplot/hp7221/close.c
usr/src/ucbcmd/plot/libplot/hp7221/cont.c
usr/src/ucbcmd/plot/libplot/hp7221/dot.c
usr/src/ucbcmd/plot/libplot/hp7221/erase.c
```

EXHIBIT C
page 10 of 17

```
usr/src/ucbcmd/plot/libplot/hp7221/hp7221.h
usr/src/ucbcmd/plot/libplot/hp7221/label.c
usr/src/ucbcmd/plot/libplot/hp7221/line.c
usr/src/ucbcmd/plot/libplot/hp7221/linemod.c
usr/src/ucbcmd/plot/libplot/hp7221/move.c
usr/src/ucbcmd/plot/libplot/hp7221/open.c
usr/src/ucbcmd/plot/libplot/hp7221/point.c
usr/src/ucbcmd/plot/libplot/hp7221/space.c
usr/src/ucbcmd/plot/libplot/hp7221/subr.c
usr/src/ucbcmd/plot/libplot/imagen/arc.c
usr/src/ucbcmd/plot/libplot/imagen/box.c
usr/src/ucbcmd/plot/libplot/imagen/charset.c
usr/src/ucbcmd/plot/libplot/imagen/circle.c
usr/src/ucbcmd/plot/libplot/imagen/close.c
usr/src/ucbcmd/plot/libplot/imagen/cont.c
usr/src/ucbcmd/plot/libplot/imagen/dot.c
usr/src/ucbcmd/plot/libplot/imagen/erase.c
usr/src/ucbcmd/plot/libplot/imagen/imPcodes.h
usr/src/ucbcmd/plot/libplot/imagen/imp.h
usr/src/ucbcmd/plot/libplot/imagen/label.c
usr/src/ucbcmd/plot/libplot/imagen/line.c
usr/src/ucbcmd/plot/libplot/imagen/linemod.c
usr/src/ucbcmd/plot/libplot/imagen/move.c
usr/src/ucbcmd/plot/libplot/imagen/open.c
usr/src/ucbcmd/plot/libplot/imagen/point.c
usr/src/ucbcmd/plot/libplot/imagen/scale.c
usr/src/ucbcmd/plot/libplot/imagen/space.c
usr/src/ucbcmd/plot/libplot/plot/arc.c
usr/src/ucbcmd/plot/libplot/plot/box.c
usr/src/ucbcmd/plot/libplot/plot/circle.c
usr/src/ucbcmd/plot/libplot/plot/close.c
usr/src/ucbcmd/plot/libplot/plot/cont.c
usr/src/ucbcmd/plot/libplot/plot/dot.c
usr/src/ucbcmd/plot/libplot/plot/erase.c
usr/src/ucbcmd/plot/libplot/plot/label.c
usr/src/ucbcmd/plot/libplot/plot/line.c
usr/src/ucbcmd/plot/libplot/plot/linmod.c
usr/src/ucbcmd/plot/libplot/plot/move.c
usr/src/ucbcmd/plot/libplot/plot/open.c
usr/src/ucbcmd/plot/libplot/plot/point.c
usr/src/ucbcmd/plot/libplot/plot/putsi.c
usr/src/ucbcmd/plot/libplot/plot/space.c
usr/src/ucbcmd/plot/libplot/t300/arc.c
usr/src/ucbcmd/plot/libplot/t300/box.c
usr/src/ucbcmd/plot/libplot/t300/circle.c
usr/src/ucbcmd/plot/libplot/t300/close.c
usr/src/ucbcmd/plot/libplot/t300/dot.c
usr/src/ucbcmd/plot/libplot/t300/erase.c
usr/src/ucbcmd/plot/libplot/t300/label.c
usr/src/ucbcmd/plot/libplot/t300/line.c
usr/src/ucbcmd/plot/libplot/t300/linmod.c
usr/src/ucbcmd/plot/libplot/t300/move.c
usr/src/ucbcmd/plot/libplot/t300/open.c
usr/src/ucbcmd/plot/libplot/t300/point.c
usr/src/ucbcmd/plot/libplot/t300/space.c
usr/src/ucbcmd/plot/libplot/t300/subr.c
usr/src/ucbcmd/plot/libplot/t300s/arc.c
usr/src/ucbcmd/plot/libplot/t300s/box.c
usr/src/ucbcmd/plot/libplot/t300s/circle.c
usr/src/ucbcmd/plot/libplot/t300s/close.c
usr/src/ucbcmd/plot/libplot/t300s/dot.c
usr/src/ucbcmd/plot/libplot/t300s/erase.c
usr/src/ucbcmd/plot/libplot/t300s/label.c
usr/src/ucbcmd/plot/libplot/t300s/line.c
```

```
usr/src/ucbcmd/plot/libplot/t300s/linmod.c
usr/src/ucbcmd/plot/libplot/t300s/move.c
usr/src/ucbcmd/plot/libplot/t300s/open.c
usr/src/ucbcmd/plot/libplot/t300s/point.c
usr/src/ucbcmd/plot/libplot/t300s/space.c
usr/src/ucbcmd/plot/libplot/t300s/subr.c
usr/src/ucbcmd/plot/libplot/t4013/arc.c
usr/src/ucbcmd/plot/libplot/t4013/box.c
usr/src/ucbcmd/plot/libplot/t4013/circle.c
usr/src/ucbcmd/plot/libplot/t4013/close.c
usr/src/ucbcmd/plot/libplot/t4013/dot.c
usr/src/ucbcmd/plot/libplot/t4013/erase.c
usr/src/ucbcmd/plot/libplot/t4013/label.c
usr/src/ucbcmd/plot/libplot/t4013/line.c
usr/src/ucbcmd/plot/libplot/t4013/linemod.c
usr/src/ucbcmd/plot/libplot/t4013/move.c
usr/src/ucbcmd/plot/libplot/t4013/open.c
usr/src/ucbcmd/plot/libplot/t4013/point.c
usr/src/ucbcmd/plot/libplot/t4013/scale.c
usr/src/ucbcmd/plot/libplot/t4013/space.c
usr/src/ucbcmd/plot/libplot/t4013/subr.c
usr/src/ucbcmd/plot/libplot/tf77/arc.c
usr/src/ucbcmd/plot/libplot/tf77/box.c
usr/src/ucbcmd/plot/libplot/tf77/circle.c
usr/src/ucbcmd/plot/libplot/tf77/clospl.c
usr/src/ucbcmd/plot/libplot/tf77/cont.c
usr/src/ucbcmd/plot/libplot/tf77/dot.c
usr/src/ucbcmd/plot/libplot/tf77/erase.c
usr/src/ucbcmd/plot/libplot/tf77/label.c
usr/src/ucbcmd/plot/libplot/tf77/line.c
usr/src/ucbcmd/plot/libplot/tf77/linemd.c
usr/src/ucbcmd/plot/libplot/tf77/move.c
usr/src/ucbcmd/plot/libplot/tf77/open.c
usr/src/ucbcmd/plot/libplot/tf77/point.c
usr/src/ucbcmd/plot/libplot/tf77/space.c
usr/src/ucbcmd/plot/plot.mk
usr/src/ucbcmd/plot/plot.sh
usr/src/ucbcmd/plot/plottoa.c
usr/src/ucbcmd/plot/vfont.h
usr/src/ucbcmd/plot/vplot.c
usr/src/ucbcmd/printenv/printenv.c
usr/src/ucbcmd/prt/prt.c
usr/src/ucbcmd/ps/ps.c
usr/src/ucbcmd/ps/ps.mk
usr/src/ucbcmd/reboot/reboot.c
usr/src/ucbcmd/reboot/reboot.mk
usr/src/ucbcmd/refer/addbib.c
usr/src/ucbcmd/refer/deliv2.c
usr/src/ucbcmd/refer/glue1.c
usr/src/ucbcmd/refer/glue2.c
usr/src/ucbcmd/refer/glue3.c
usr/src/ucbcmd/refer/glue4.c
usr/src/ucbcmd/refer/glue5.c
usr/src/ucbcmd/refer/hunt1.c
usr/src/ucbcmd/refer/hunt2.c
usr/src/ucbcmd/refer/hunt3.c
usr/src/ucbcmd/refer/hunt5.c
usr/src/ucbcmd/refer/hunt6.c
usr/src/ucbcmd/refer/hunt7.c
usr/src/ucbcmd/refer/hunt8.c
usr/src/ucbcmd/refer/hunt9.c
usr/src/ucbcmd/refer/inv1.c
usr/src/ucbcmd/refer/inv2.c
usr/src/ucbcmd/refer/inv3.c
```

EXHIBIT C
page 12 of 17

```
usr/src/ucbcmd/refer/inv5.c
usr/src/ucbcmd/refer/inv6.c
usr/src/ucbcmd/refer/lookbib.c
usr/src/ucbcmd/refer/mkey1.c
usr/src/ucbcmd/refer/mkey2.c
usr/src/ucbcmd/refer/mkey3.c
usr/src/ucbcmd/refer/refer..c
usr/src/ucbcmd/refer/refer0.c
usr/src/ucbcmd/refer/refer1.c
usr/src/ucbcmd/refer/refer2.c
usr/src/ucbcmd/refer/refer3.c
usr/src/ucbcmd/refer/refer4.c
usr/src/ucbcmd/refer/refer5.c
usr/src/ucbcmd/refer/refer6.c
usr/src/ucbcmd/refer/refer7.c
usr/src/ucbcmd/refer/refer8.c
usr/src/ucbcmd/refer/shell.c
usr/src/ucbcmd/refer/sortbib.c
usr/src/ucbcmd/refer/tick.c
usr/src/ucbcmd/refer/tmac.bib
usr/src/ucbcmd/refer/types.c
usr/src/ucbcmd/renice/renice.c
usr/src/ucbcmd/renice/renice.mk
usr/src/ucbcmd/sccscmd/sccs.c
usr/src/ucbcmd/sccscmd/sccscmd.mk
usr/src/ucbcmd/sccscmd/sysexits.h
usr/src/ucbcmd/sendmail/aux/Makefile
usr/src/ucbcmd/sendmail/aux/mailstats.c
usr/src/ucbcmd/sendmail/aux/mconnect.c
usr/src/ucbcmd/sendmail/aux/vacation.c
usr/src/ucbcmd/sendmail/cf/Makefile
usr/src/ucbcmd/sendmail/cf/base.m4
usr/src/ucbcmd/sendmail/cf/compat.m4
usr/src/ucbcmd/sendmail/cf/ddnm.m4
usr/src/ucbcmd/sendmail/cf/etherm.m4
usr/src/ucbcmd/sendmail/cf/localm.m4
usr/src/ucbcmd/sendmail/cf/mailsurr
usr/src/ucbcmd/sendmail/cf/main.mc
usr/src/ucbcmd/sendmail/cf/subsidiary.mc
usr/src/ucbcmd/sendmail/cf/sunbase.m4
usr/src/ucbcmd/sendmail/cf/uucpm.m4
usr/src/ucbcmd/sendmail/cf/version.m4
usr/src/ucbcmd/sendmail/include/netconfig.h
usr/src/ucbcmd/sendmail/include/sysexits.h
usr/src/ucbcmd/sendmail/include/useful.h
usr/src/ucbcmd/sendmail/include/useful.h.sun
usr/src/ucbcmd/sendmail/include/userdbm.h
usr/src/ucbcmd/sendmail/lib/Makefile
usr/src/ucbcmd/sendmail/lib/aliases
usr/src/ucbcmd/sendmail/sendmail.mk
usr/src/ucbcmd/sendmail/src/Makefile
usr/src/ucbcmd/sendmail/src/alias.c
usr/src/ucbcmd/sendmail/src/arpadate.c
usr/src/ucbcmd/sendmail/src/bcmp.c
usr/src/ucbcmd/sendmail/src/bcopy.c
usr/src/ucbcmd/sendmail/src/bzero.c
usr/src/ucbcmd/sendmail/src/clock.c
usr/src/ucbcmd/sendmail/src/collect.c
usr/src/ucbcmd/sendmail/src/conf.c
usr/src/ucbcmd/sendmail/src/conf.h
usr/src/ucbcmd/sendmail/src/convtime.c
usr/src/ucbcmd/sendmail/src/daemon.c
usr/src/ucbcmd/sendmail/src/deliver.c
usr/src/ucbcmd/sendmail/src/domain.c
```

```
usr/src/ucbcmd/sendmail/src/envelope.c
usr/src/ucbcmd/sendmail/src/err.c
usr/src/ucbcmd/sendmail/src/getdname.c
usr/src/ucbcmd/sendmail/src/getdtblsize.c
usr/src/ucbcmd/sendmail/src/headers.c
usr/src/ucbcmd/sendmail/src/index.c
usr/src/ucbcmd/sendmail/src/macro.c
usr/src/ucbcmd/sendmail/src/mailstats.h
usr/src/ucbcmd/sendmail/src/mailsurr
usr/src/ucbcmd/sendmail/src/main.c
usr/src/ucbcmd/sendmail/src/noyp.c
usr/src/ucbcmd/sendmail/src/parseaddr.c
usr/src/ucbcmd/sendmail/src/queue.c
usr/src/ucbcmd/sendmail/src/readcf.c
usr/src/ucbcmd/sendmail/src/recipient.c
usr/src/ucbcmd/sendmail/src/remote.c
usr/src/ucbcmd/sendmail/src/rpcdname.c
usr/src/ucbcmd/sendmail/src/savemail.c
usr/src/ucbcmd/sendmail/src/sendmail.h
usr/src/ucbcmd/sendmail/src/signal.c
usr/src/ucbcmd/sendmail/src/srvrsmtp.c
usr/src/ucbcmd/sendmail/src/stab.c
usr/src/ucbcmd/sendmail/src/stats.c
usr/src/ucbcmd/sendmail/src/stricmp.c
usr/src/ucbcmd/sendmail/src/sysexits.c
usr/src/ucbcmd/sendmail/src/trace.c
usr/src/ucbcmd/sendmail/src/usersmtp.c
usr/src/ucbcmd/sendmail/src/util.c
usr/src/ucbcmd/sendmail/src/version.c
usr/src/ucbcmd/sendmail/src/ypdomain.c
usr/src/ucbcmd/sendmail/ucblib/Makefile
usr/src/ucbcmd/sendmail/ucblib/mail.c
usr/src/ucbcmd/sendmail/ucblib/rmail.c
usr/src/ucbcmd/shutdown/mountxdr.c
usr/src/ucbcmd/shutdown/shutdown.c
usr/src/ucbcmd/shutdown/shutdown.mk
usr/src/ucbcmd/soelim/soelim.c
usr/src/ucbcmd/stty/stty.c
usr/src/ucbcmd/stty/stty.h
usr/src/ucbcmd/stty/stty.mk
usr/src/ucbcmd/stty/sttyparse.c
usr/src/ucbcmd/stty/sttytable.c
usr/src/ucbcmd/sum/sum.c
usr/src/ucbcmd/tbl/t..c
usr/src/ucbcmd/tbl/t0.c
usr/src/ucbcmd/tbl/t1.c
usr/src/ucbcmd/tbl/t2.c
usr/src/ucbcmd/tbl/t3.c
usr/src/ucbcmd/tbl/t4.c
usr/src/ucbcmd/tbl/t5.c
usr/src/ucbcmd/tbl/t6.c
usr/src/ucbcmd/tbl/t7.c
usr/src/ucbcmd/tbl/t8.c
usr/src/ucbcmd/tbl/t9.c
usr/src/ucbcmd/tbl/tb.c
usr/src/ucbcmd/tbl/tc.c
usr/src/ucbcmd/tbl/te.c
usr/src/ucbcmd/tbl/tf.c
usr/src/ucbcmd/tbl/tg.c
usr/src/ucbcmd/tbl/ti.c
usr/src/ucbcmd/tbl/tm.c
usr/src/ucbcmd/tbl/ts.c
usr/src/ucbcmd/tbl/tt.c
usr/src/ucbcmd/tbl/tu.c
```

```
usr/src/ucbcmd/tbl/tv.c
usr/src/ucbcmd/tcopy/tcopy.c
usr/src/ucbcmd/tcopy/tcopy.mk
usr/src/ucbcmd/test/test.c
usr/src/ucbcmd/tr/tr.c
usr/src/ucbcmd/tr/tr.mk
usr/src/ucbcmd/troff/ext.h
usr/src/ucbcmd/troff/hytab.c
usr/src/ucbcmd/troff/n1.c
usr/src/ucbcmd/troff/n2.c
usr/src/ucbcmd/troff/n3.c
usr/src/ucbcmd/troff/n4.c
usr/src/ucbcmd/troff/n5.c
usr/src/ucbcmd/troff/n7.c
usr/src/ucbcmd/troff/n8.c
usr/src/ucbcmd/troff/n9.c
usr/src/ucbcmd/troff/ni.c
usr/src/ucbcmd/troff/ni1.c
usr/src/ucbcmd/troff/nroff.d/n10.c
usr/src/ucbcmd/troff/nroff.d/n6.c
usr/src/ucbcmd/troff/nroff.d/nroff.mk
usr/src/ucbcmd/troff/nroff.d/terms.d/README
usr/src/ucbcmd/troff/nroff.d/terms.d/convert.sh
usr/src/ucbcmd/troff/nroff.d/terms.d/terms.mk
usr/src/ucbcmd/troff/nroff.d/tw.h
usr/src/ucbcmd/troff/suftab.c
usr/src/ucbcmd/troff/tdef.h
usr/src/ucbcmd/troff/troff.d/README
usr/src/ucbcmd/troff/troff.d/dev.h
usr/src/ucbcmd/troff/troff.d/devaps/B
usr/src/ucbcmd/troff/troff.d/devaps/BI
usr/src/ucbcmd/troff/troff.d/devaps/C
usr/src/ucbcmd/troff/troff.d/devaps/CE
usr/src/ucbcmd/troff/troff.d/devaps/CI
usr/src/ucbcmd/troff/troff.d/devaps/CT
usr/src/ucbcmd/troff/troff.d/devaps/CW
usr/src/ucbcmd/troff/troff.d/devaps/CX
usr/src/ucbcmd/troff/troff.d/devaps/DESC
usr/src/ucbcmd/troff/troff.d/devaps/G
usr/src/ucbcmd/troff/troff.d/devaps/GB
usr/src/ucbcmd/troff/troff.d/devaps/GI
usr/src/ucbcmd/troff/troff.d/devaps/GR
usr/src/ucbcmd/troff/troff.d/devaps/GS
usr/src/ucbcmd/troff/troff.d/devaps/H
usr/src/ucbcmd/troff/troff.d/devaps/HB
usr/src/ucbcmd/troff/troff.d/devaps/HI
usr/src/ucbcmd/troff/troff.d/devaps/HK
usr/src/ucbcmd/troff/troff.d/devaps/HL
usr/src/ucbcmd/troff/troff.d/devaps/HX
usr/src/ucbcmd/troff/troff.d/devaps/I
usr/src/ucbcmd/troff/troff.d/devaps/LINKFILE
usr/src/ucbcmd/troff/troff.d/devaps/MB
usr/src/ucbcmd/troff/troff.d/devaps/MI
usr/src/ucbcmd/troff/troff.d/devaps/MR
usr/src/ucbcmd/troff/troff.d/devaps/MX
usr/src/ucbcmd/troff/troff.d/devaps/PA
usr/src/ucbcmd/troff/troff.d/devaps/PB
usr/src/ucbcmd/troff/troff.d/devaps/PI
usr/src/ucbcmd/troff/troff.d/devaps/PO
usr/src/ucbcmd/troff/troff.d/devaps/PX
usr/src/ucbcmd/troff/troff.d/devaps/R
usr/src/ucbcmd/troff/troff.d/devaps/README
usr/src/ucbcmd/troff/troff.d/devaps/S
usr/src/ucbcmd/troff/troff.d/devaps/S1
```

```
usr/src/ucbcmd/troff/troff.d/devaps/SC
usr/src/ucbcmd/troff/troff.d/devaps/SM
usr/src/ucbcmd/troff/troff.d/devaps/TB
usr/src/ucbcmd/troff/troff.d/devaps/TX
usr/src/ucbcmd/troff/troff.d/devaps/aps.h
usr/src/ucbcmd/troff/troff.d/devaps/build.c
usr/src/ucbcmd/troff/troff.d/devaps/charlib/README
usr/src/ucbcmd/troff/troff.d/devaps/daps.c
usr/src/ucbcmd/troff/troff.d/devaps/daps.g
usr/src/ucbcmd/troff/troff.d/devaps/daps.h
usr/src/ucbcmd/troff/troff.d/devaps/devaps.mk
usr/src/ucbcmd/troff/troff.d/devaps/makedev.c
usr/src/ucbcmd/troff/troff.d/devaps/version
usr/src/ucbcmd/troff/troff.d/draw.c
usr/src/ucbcmd/troff/troff.d/makedev.c
usr/src/ucbcmd/troff/troff.d/maketables
usr/src/ucbcmd/troff/troff.d/t10.c
usr/src/ucbcmd/troff/troff.d/t6.c
usr/src/ucbcmd/troff/troff.d/ta.c
usr/src/ucbcmd/troff/troff.d/tmac.d/acm.me
usr/src/ucbcmd/troff/troff.d/tmac.d/bib
usr/src/ucbcmd/troff/troff.d/tmac.d/chars.me
usr/src/ucbcmd/troff/troff.d/tmac.d/deltext.me
usr/src/ucbcmd/troff/troff.d/tmac.d/e
usr/src/ucbcmd/troff/troff.d/tmac.d/eqn.me
usr/src/ucbcmd/troff/troff.d/tmac.d/exp.tbl
usr/src/ucbcmd/troff/troff.d/tmac.d/float.me
usr/src/ucbcmd/troff/troff.d/tmac.d/footnote.me
usr/src/ucbcmd/troff/troff.d/tmac.d/index.me
usr/src/ucbcmd/troff/troff.d/tmac.d/local.me
usr/src/ucbcmd/troff/troff.d/tmac.d/m
usr/src/ucbcmd/troff/troff.d/tmac.d/ms.acc
usr/src/ucbcmd/troff/troff.d/tmac.d/ms.cov
usr/src/ucbcmd/troff/troff.d/tmac.d/ms.eqn
usr/src/ucbcmd/troff/troff.d/tmac.d/ms.ref
usr/src/ucbcmd/troff/troff.d/tmac.d/ms.tbl
usr/src/ucbcmd/troff/troff.d/tmac.d/ms.ths
usr/src/ucbcmd/troff/troff.d/tmac.d/ms.toc
usr/src/ucbcmd/troff/troff.d/tmac.d/null.me
usr/src/ucbcmd/troff/troff.d/tmac.d/refer.me
usr/src/ucbcmd/troff/troff.d/tmac.d/revisions
usr/src/ucbcmd/troff/troff.d/tmac.d/s
usr/src/ucbcmd/troff/troff.d/tmac.d/sh.me
usr/src/ucbcmd/troff/troff.d/tmac.d/tbl.me
usr/src/ucbcmd/troff/troff.d/tmac.d/thesis.me
usr/src/ucbcmd/troff/troff.d/tmac.d/tmac.mk
usr/src/ucbcmd/troff/troff.d/tmac.d/v
usr/src/ucbcmd/troff/troff.d/troff.mk
usr/src/ucbcmd/troff/troff.d/troff.sh
usr/src/ucbcmd/troff/troff.mk
usr/src/ucbcmd/tset/tset.c
usr/src/ucbcmd/tset/tset.delays.h
usr/src/ucbcmd/ul/ul.c
usr/src/ucbcmd/unifdef/unifdef.c
usr/src/ucbcmd/unifdef/unifdef.mk
usr/src/ucbcmd/users/users.c
usr/src/ucbcmd/w/w.c
usr/src/ucbcmd/w/w.mk
usr/src/ucbcmd/which/which.csh
usr/src/ucbcmd/which/which.mk
usr/src/ucbcmd/whoami/whoami.c
usr/src/ucbcmd/xstr/xstr.c
usr/src/ucbcmd/xstr/xstr.mk
usr/src/ucbhead/a.out.h
```

```
usr/src/ucbhead/assert.h
usr/src/ucbhead/curses.h
usr/src/ucbhead/dbm.h
usr/src/ucbhead/dbm.h
usr/src/ucbhead/fp.h
usr/src/ucbhead/math.h
usr/src/ucbhead/mp.h
usr/src/ucbhead/ndbm.h
usr/src/ucbhead/regexp.h
usr/src/ucbhead/resolv.h
usr/src/ucbhead/setjmp.h
usr/src/ucbhead/signal.h
usr/src/ucbhead/stdio.h
usr/src/ucbhead/strings.h
usr/src/ucbhead/struct.h
usr/src/ucbhead/sunfp.h
usr/src/ucbhead/sys/dir.h
usr/src/ucbhead/sys/fcntl.h
usr/src/ucbhead/sys/file.h
usr/src/ucbhead/sys/ieeefp.h
usr/src/ucbhead/sys/ioctl.h
usr/src/ucbhead/sys/mtio.h
usr/src/ucbhead/sys/param.h
usr/src/ucbhead/sys/reboot.h
usr/src/ucbhead/sys/resource.h
usr/src/ucbhead/sys/signal.h
usr/src/ucbhead/sys/sysmacros.h
usr/src/ucbhead/sys/tty.h
usr/src/ucbhead/sys/ttychars.h
usr/src/ucbhead/sys/types.h
usr/src/ucbhead/sys/vfs.h
usr/src/ucbhead/sys/wait.h
usr/src/ucbhead/syscall.h
usr/src/ucbhead/sysexits.h
usr/src/ucbhead/ufs/quota.h
usr/src/ucbhead/unistd.h
usr/src/ucbhead/vfont.h
usr/src/ucblib/libc/port/gen/_nlist.c
usr/src/ucblib/libc/port/gen/_psignal.c
usr/src/ucblib/libc/port/gen/_swapFLAGS.c
usr/src/ucblib/libc/port/gen/base_conv.h
usr/src/ucblib/libc/port/gen/bcmp.c
usr/src/ucblib/libc/port/gen/bcopy.c
usr/src/ucblib/libc/port/gen/bzero.c
usr/src/ucblib/libc/port/gen/decimal_bin.c
usr/src/ucblib/libc/port/gen/double_decim.c
usr/src/ucblib/libc/port/gen/econvert.c
usr/src/ucblib/libc/port/gen/float_decim.c
usr/src/ucblib/libc/port/gen/fp_class.c
usr/src/ucblib/libc/port/gen/ftime.c
usr/src/ucblib/libc/port/gen/gconvert.c
usr/src/ucblib/libc/port/gen/getusershell.c
usr/src/ucblib/libc/port/gen/getwd.c
usr/src/ucblib/libc/port/gen/ieee_func.c
usr/src/ucblib/libc/port/gen/ieee_globals.c
usr/src/ucblib/libc/port/gen/ieee_handler.c
usr/src/ucblib/libc/port/gen/index.c
usr/src/ucblib/libc/port/gen/llbm.h
usr/src/ucblib/libc/port/gen/makefile
usr/src/ucblib/libc/port/gen/mkstemp.c
usr/src/ucblib/libc/port/gen/mon.c
usr/src/ucblib/libc/port/gen/mon.h
usr/src/ucblib/libc/port/gen/ndbm.c
usr/src/ucblib/libc/port/gen/nice.c
usr/src/ucblib/libc/port/gen/nlist.c
```

```
usr/src/ucblib/libc/port/gen/psignal.c
usr/src/ucblib/libc/port/gen/rand.c
usr/src/ucblib/libc/port/gen/random.c
usr/src/ucblib/libc/port/gen/readdir.c
usr/src/ucblib/libc/port/gen/rindex.c
usr/src/ucblib/libc/port/gen/scandir.c
usr/src/ucblib/libc/port/gen/seconvert.c
usr/src/ucblib/libc/port/gen/setbuffer.c
usr/src/ucblib/libc/port/gen/setpriority.c
usr/src/ucblib/libc/port/gen/shlib.h
usr/src/ucblib/libc/port/gen/sigfpe.c
usr/src/ucblib/libc/port/gen/siglist.c
usr/src/ucblib/libc/port/gen/sleep.c
usr/src/ucblib/libc/port/gen/stdiom.h
usr/src/ucblib/libc/port/gen/stricmp.c
usr/src/ucblib/libc/port/gen/synonyms.h
usr/src/ucblib/libc/port/gen/times.c
usr/src/ucblib/libc/port/gen/timezone.c
usr/src/ucblib/libc/port/gen/ualarm.c
usr/src/ucblib/libc/port/gen/usleep.c
usr/src/ucblib/libc/port/stdio/doprnt.c
usr/src/ucblib/libc/port/stdio/doprnt.h
usr/src/ucblib/libc/port/stdio/fopen.c
usr/src/ucblib/libc/port/stdio/fprintf.c
usr/src/ucblib/libc/port/stdio/makefile
usr/src/ucblib/libc/port/stdio/sprintf.c
usr/src/ucblib/libc/port/stdio/vfprintf.c
usr/src/ucblib/libc/port/stdio/vprintf.c
usr/src/ucblib/libc/port/stdio/vsprintf.c
usr/src/ucblib/libc/port/sys/getdtblsize.c
usr/src/ucblib/libc/port/sys/gethostid.c
usr/src/ucblib/libc/port/sys/gethostname.c
usr/src/ucblib/libc/port/sys/getpagesize.c
usr/src/ucblib/libc/port/sys/getrusage.c
usr/src/ucblib/libc/port/sys/killpg.c
usr/src/ucblib/libc/port/sys/mctl.c
usr/src/ucblib/libc/port/sys/setreid.c
usr/src/ucblib/libc/port/sys/signal.c
usr/src/ucblib/libc/port/sys/wait3.c
usr/src/ucblib/libcurses/addch.c
usr/src/ucblib/libcurses/addstr.c
usr/src/ucblib/libcurses/box.c
usr/src/ucblib/libcurses/clear.c
usr/src/ucblib/libcurses/clrtobot.c
usr/src/ucblib/libcurses/clrtoeol.c
usr/src/ucblib/libcurses/cr_put.c
usr/src/ucblib/libcurses/cr_tty.c
usr/src/ucblib/libcurses/curses.c
usr/src/ucblib/libcurses/curses.ext
usr/src/ucblib/libcurses/curses.h
usr/src/ucblib/libcurses/delch.c
usr/src/ucblib/libcurses/deleteln.c
usr/src/ucblib/libcurses/delwin.c
usr/src/ucblib/libcurses/endwin.c
usr/src/ucblib/libcurses/erase.c
usr/src/ucblib/libcurses/fullname.c
usr/src/ucblib/libcurses/getch.c
usr/src/ucblib/libcurses/getstr.c
usr/src/ucblib/libcurses/id_subwins.c
usr/src/ucblib/libcurses/idlok.c
usr/src/ucblib/libcurses/initscr.c
usr/src/ucblib/libcurses/insch.c
usr/src/ucblib/libcurses/insertln.c
usr/src/ucblib/libcurses/libcurses.mk
```

```
usr/src/ucblib/libcurses/longname.c
usr/src/ucblib/libcurses/move.c
usr/src/ucblib/libcurses/mvprintw.c
usr/src/ucblib/libcurses/mvscanw.c
usr/src/ucblib/libcurses/mvwin.c
usr/src/ucblib/libcurses/newwin.c
usr/src/ucblib/libcurses/overlay.c
usr/src/ucblib/libcurses/overwrite.c
usr/src/ucblib/libcurses/printw.c
usr/src/ucblib/libcurses/putchar.c
usr/src/ucblib/libcurses/refresh.c
usr/src/ucblib/libcurses/scanw.c
usr/src/ucblib/libcurses/scroll.c
usr/src/ucblib/libcurses/standout.c
usr/src/ucblib/libcurses/toucholap.c
usr/src/ucblib/libcurses/touchwin.c
usr/src/ucblib/libcurses/tstp.c
usr/src/ucblib/libcurses/unctrl.c
usr/src/ucblib/libbmp/gcd.c
usr/src/ucblib/libbmp/madd.c
usr/src/ucblib/libbmp/mdiv.c
usr/src/ucblib/libbmp/mout.c
usr/src/ucblib/libbmp/msqrt.c
usr/src/ucblib/libbmp/mult.c
usr/src/ucblib/libbmp/pow.c
usr/src/ucblib/libbmp/util.c
usr/src/ucblib/librpcsoc/clnt_tcp.c
usr/src/ucblib/librpcsoc/clnt_udp.c
usr/src/ucblib/librpcsoc/librpcsoc.mk
usr/src/ucblib/librpcsoc/rtime.c
usr/src/ucblib/librpcsoc/svc_tcp.c
usr/src/ucblib/librpcsoc/svc_udp.c
usr/src/ucblib/libtermcap/libtermcap.mk
usr/src/ucblib/libtermcap/termcap.c
usr/src/ucblib/libtermcap/tgoto.c
usr/src/ucblib/libtermcap/tputs.c
usr/src/uts/i386/des/des.h
usr/src/uts/i386/des/des_crypt.c
usr/src/uts/i386/des/des_crypt.h
usr/src/uts/i386/des/des_soft.c
usr/src/uts/i386/des/desdata.h
usr/src/uts/i386/des/intldes_soft.c
usr/src/uts/i386/des/intldescrypt.c
usr/src/uts/i386/des/softdes.h
usr/src/uts/i386/fs/dnlc.c
usr/src/uts/i386/fs/lookup.c
usr/src/uts/i386/fs/pathname.c
usr/src/uts/i386/fs/s5/s5alloc.c
```

```
usr/src/uts/i386/fs/s5/s5dir.c
```

```
usr/src/uts/i386/fs/s5/s5inode.c
usr/src/uts/i386/fs/s5/s5rdwri.c
usr/src/uts/i386/fs/s5/s5vfsops.c
usr/src/uts/i386/fs/s5/s5vnops.c
usr/src/uts/i386/fs/specfs/specsubr.c
usr/src/uts/i386/fs/specfs/specvfsops.c
usr/src/uts/i386/fs/specfs/specvnops.c
usr/src/uts/i386/fs/ufs/quota.c
usr/src/uts/i386/fs/ufs/quota_ufs.c
usr/src/uts/i386/fs/ufs/quotacalls.c
usr/src/uts/i386/fs/ufs/ufs_alloc.c
usr/src/uts/i386/fs/ufs/ufs_blklist.c
```

```
usr/src/uts/i386/fs/ufs/ufs_bmap.c
usr/src/uts/i386/fs/ufs/ufs_dir.c
usr/src/uts/i386/fs/ufs/ufs_dsort.c
usr/src/uts/i386/fs/ufs/ufs_inode.c
usr/src/uts/i386/fs/ufs/ufs_subr.c
usr/src/uts/i386/fs/ufs/ufs_tables.c
usr/src/uts/i386/fs/ufs/ufs_vfsops.c
usr/src/uts/i386/fs/ufs/ufs_vnops.c
usr/src/uts/i386/fs/vfs.c
usr/src/uts/i386/fs/vncalls.c
usr/src/uts/i386/fs/vnode.c
usr/src/uts/i386/io/ldterm.c
usr/src/uts/i386/io/osocket.c
usr/src/uts/i386/io/sockmod.c
usr/src/uts/i386/io/ttcompat.c
usr/src/uts/i386/klm/klm.mk
usr/src/uts/i386/klm/klm_kprot.c
usr/src/uts/i386/klm/klm_lkmgr.c
usr/src/uts/i386/klm/klm_prot.h
usr/src/uts/i386/klm/lockmgr.h
usr/src/uts/i386/ktli/ktli.mk
usr/src/uts/i386/ktli/t_kalloc.c
usr/src/uts/i386/ktli/t_kbind.c
usr/src/uts/i386/ktli/t_kclose.c
usr/src/uts/i386/ktli/t_kconnect.c
usr/src/uts/i386/ktli/t_kfree.c
usr/src/uts/i386/ktli/t_kgtstate.c
usr/src/uts/i386/ktli/t_kopen.c
usr/src/uts/i386/ktli/t_krcvudat.c
usr/src/uts/i386/ktli/t_ksndudat.c
usr/src/uts/i386/ktli/t_kspoll.c
usr/src/uts/i386/ktli/t_kunbind.c
usr/src/uts/i386/ktli/t_kutil.c
usr/src/uts/i386/net/af.h
usr/src/uts/i386/net/if.h
usr/src/uts/i386/net/if_arp.h
usr/src/uts/i386/net/route.h
usr/src/uts/i386/net/strloc.h
usr/src/uts/i386/netinet/app.c
usr/src/uts/i386/netinet/arp.c
usr/src/uts/i386/netinet/arp.h
usr/src/uts/i386/netinet/arp.mk
usr/src/uts/i386/netinet/icmp_var.h
usr/src/uts/i386/netinet/if_ether.h
usr/src/uts/i386/netinet/in.c
usr/src/uts/i386/netinet/in.h
usr/src/uts/i386/netinet/in_cksum.c
usr/src/uts/i386/netinet/in_pcb.c
usr/src/uts/i386/netinet/in_pcb.h
usr/src/uts/i386/netinet/in_switch.c
usr/src/uts/i386/netinet/in_systm.h
usr/src/uts/i386/netinet/in_transp.c
usr/src/uts/i386/netinet/in_var.h
usr/src/uts/i386/netinet/insrem.h
usr/src/uts/i386/netinet/ip.h
usr/src/uts/i386/netinet/ip.mk
usr/src/uts/i386/netinet/ip_icmp.c
usr/src/uts/i386/netinet/ip_icmp.h
usr/src/uts/i386/netinet/ip_input.c
usr/src/uts/i386/netinet/ip_main.c
usr/src/uts/i386/netinet/ip_output.c
usr/src/uts/i386/netinet/ip_str.h
usr/src/uts/i386/netinet/ip_var.h
usr/src/uts/i386/netinet/ip_vers.c
```

```
usr/src/uts/i386/netinet/llcloop.c
usr/src/uts/i386/netinet/llcloop.h
usr/src/uts/i386/netinet/llcloop.mk
usr/src/uts/i386/netinet/netinet.mk
usr/src/uts/i386/netinet/netlib.c
usr/src/uts/i386/netinet/nihdr.h
usr/src/uts/i386/netinet/raw_ip.c
usr/src/uts/i386/netinet/raw_ip_cb.c
usr/src/uts/i386/netinet/raw_ip_main.c
usr/src/uts/i386/netinet/route.c
usr/src/uts/i386/netinet/symredef.h
usr/src/uts/i386/netinet/tcp.h
usr/src/uts/i386/netinet/tcp.mk
usr/src/uts/i386/netinet/tcp_debug.c
usr/src/uts/i386/netinet/tcp_debug.h
usr/src/uts/i386/netinet/tcp_fsm.h
usr/src/uts/i386/netinet/tcp_input.c
usr/src/uts/i386/netinet/tcp_main.c
usr/src/uts/i386/netinet/tcp_output.c
usr/src/uts/i386/netinet/tcp_seq.h
usr/src/uts/i386/netinet/tcp_state.c
usr/src/uts/i386/netinet/tcp_subr.c
usr/src/uts/i386/netinet/tcp_timer.c
usr/src/uts/i386/netinet/tcp_timer.h
usr/src/uts/i386/netinet/tcp_var.h
usr/src/uts/i386/netinet/tcpip.h
usr/src/uts/i386/netinet/udp.h
usr/src/uts/i386/netinet/udp.mk
usr/src/uts/i386/netinet/udp_io.c
usr/src/uts/i386/netinet/udp_main.c
usr/src/uts/i386/netinet/udp_state.c
usr/src/uts/i386/netinet/udp_var.h
usr/src/uts/i386/os/bio.c
usr/src/uts/i386/os/cred.c
usr/src/uts/i386/os/move.c
usr/src/uts/i386/os/scalls.c
usr/src/uts/i386/os/shm.c
usr/src/uts/i386/os/vm_meter.c
usr/src/uts/i386/os/vm_pageout.c
usr/src/uts/i386/os/vm_subr.c
usr/src/uts/i386/rpc/auth.h
usr/src/uts/i386/rpc/auth_des.c
usr/src/uts/i386/rpc/auth_des.h
usr/src/uts/i386/rpc/auth_kern.c
usr/src/uts/i386/rpc/auth_sys.h
usr/src/uts/i386/rpc/auth_unix.h
usr/src/uts/i386/rpc/authdesprt.c
usr/src/uts/i386/rpc/authdesubr.c
usr/src/uts/i386/rpc/authu_prot.c
usr/src/uts/i386/rpc/clnt.h
usr/src/uts/i386/rpc/clnt_clts.c
usr/src/uts/i386/rpc/clnt_gen.c
usr/src/uts/i386/rpc/clnt_perr.c
usr/src/uts/i386/rpc/clnt_soc.h
usr/src/uts/i386/rpc/des_crypt.h
usr/src/uts/i386/rpc/key_call.c
usr/src/uts/i386/rpc/key_prot.c
usr/src/uts/i386/rpc/key_prot.h
usr/src/uts/i386/rpc/nettype.h
usr/src/uts/i386/rpc/pmap_clnt.h
usr/src/uts/i386/rpc/pmap_prot.h
usr/src/uts/i386/rpc/pmap_rmt.h
usr/src/uts/i386/rpc/raw.h
usr/src/uts/i386/rpc/rpc.h

usr/src/uts/i386/rpc/rpc.mk
usr/src/uts/i386/rpc/rpc_calmsg.c
usr/src/uts/i386/rpc/rpc_com.h
usr/src/uts/i386/rpc/rpc_msg.h
usr/src/uts/i386/rpc/rpc_prot.c
usr/src/uts/i386/rpc/rpcb_clnt.h
usr/src/uts/i386/rpc/rpcb_prot.h
usr/src/uts/i386/rpc/rpcent.h
usr/src/uts/i386/rpc/svc.c
usr/src/uts/i386/rpc/svc.h
usr/src/uts/i386/rpc/svc_auth.c
usr/src/uts/i386/rpc/svc_auth.h
usr/src/uts/i386/rpc/svc_authu.c
usr/src/uts/i386/rpc/svc_clts.c
usr/src/uts/i386/rpc/svc_gen.c
usr/src/uts/i386/rpc/svc_soc.h
usr/src/uts/i386/rpc/svcauthdes.c
usr/src/uts/i386/rpc/types.h
usr/src/uts/i386/rpc/xdr.c
usr/src/uts/i386/rpc/xdr.h
usr/src/uts/i386/rpc/xdr_array.c
usr/src/uts/i386/rpc/xdr_mblk.c
usr/src/uts/i386/rpc/xdr_mem.c
usr/src/uts/i386/sys/buf.h
usr/src/uts/i386/sys/byteorder.h
usr/src/uts/i386/sys/dnlc.h
usr/src/uts/i386/sys/errno.h
usr/src/uts/i386/sys/fcntl.h
usr/src/uts/i386/sys/filio.h
usr/src/uts/i386/sys/fs/ufs_fs.h
usr/src/uts/i386/sys/fs/ufs_fsdir.h
usr/src/uts/i386/sys/fs/ufs_inode.h
usr/src/uts/i386/sys/fs/ufs_quota.h
usr/src/uts/i386/sys/ioccom.h
usr/src/uts/i386/sys/mman.h
usr/src/uts/i386/sys/osocket.h
usr/src/uts/i386/sys/param.h
usr/src/uts/i386/sys/protosw.h
usr/src/uts/i386/sys/protosw.h
usr/src/uts/i386/sys/resource.h
usr/src/uts/i386/sys/select.h
usr/src/uts/i386/sys/sigaction.h
usr/src/uts/i386/sys/signal.h
usr/src/uts/i386/sys/socket.h
usr/src/uts/i386/sys/socketvar.h
usr/src/uts/i386/sys/sockio.h
usr/src/uts/i386/sys/sockmod.h
usr/src/uts/i386/sys/swap.h
usr/src/uts/i386/sys/syslog.h
usr/src/uts/i386/sys/t_kuser.h
usr/src/uts/i386/sys/time.h
usr/src/uts/i386/sys/ttold.h
usr/src/uts/i386/sys/ttychars.h
usr/src/uts/i386/sys/uio.h
usr/src/uts/i386/sys/un.h
usr/src/uts/i386/sys/vm.h
usr/src/uts/i386/sys/vmmac.h
usr/src/uts/i386/sys/vmmeter.h
usr/src/uts/i386/sys/vmparam.h
usr/src/uts/i386/sys/vmsystm.h
usr/src/uts/i386/sys/vnode.h
usr/src/uts/i386/vm/anon.h
usr/src/uts/i386/vm/as.h
usr/src/uts/i386/vm/bootconf.h
```

EXHIBIT C
Page 16 of 17

usr/src/uts/i386/vm/cpu.h
usr/src/uts/i386/vm/debugger.h
usr/src/uts/i386/vm/faultcode.h
usr/src/uts/i386/vm/hat.h
usr/src/uts/i386/vm/kernel.h
usr/src/uts/i386/vm/mp.h
usr/src/uts/i386/vm/page.h
usr/src/uts/i386/vm/pte.h
usr/src/uts/i386/vm/pvn.h
usr/src/uts/i386/vm/reboot.h
usr/src/uts/i386/vm/rm.h
usr/src/uts/i386/vm/seg.h
usr/src/uts/i386/vm/seg_dev.c
usr/src/uts/i386/vm/seg_dev.h
usr/src/uts/i386/vm/seg_kmem.c
usr/src/uts/i386/vm/seg_kmem.h
usr/src/uts/i386/vm/seg_map.h
usr/src/uts/i386/vm/seg_objs.c
usr/src/uts/i386/vm/seg_objs.h
usr/src/uts/i386/vm/seg_u.c
usr/src/uts/i386/vm/seg_u.h
usr/src/uts/i386/vm/seg_vn.c
usr/src/uts/i386/vm/seg_vn.h
usr/src/uts/i386/vm/seg_vpix.c
usr/src/uts/i386/vm/seg_vpix.h
usr/src/uts/i386/vm/trace.h
usr/src/uts/i386/vm/vm.mk
usr/src/uts/i386/vm/vm_anon.c
usr/src/uts/i386/vm/vm_as.c
usr/src/uts/i386/vm/vm_machdep.c
usr/src/uts/i386/vm/vm_mp.c
usr/src/uts/i386/vm/vm_page.c
usr/src/uts/i386/vm/vm_pvn.c
usr/src/uts/i386/vm/vm_rm.c
usr/src/uts/i386/vm/vm_seg.c
usr/src/uts/i386/vm/vm_swap.c
usr/src/uts/i386/vm/vm_vpage.c
usr/src/uts/i386/vm/vmlog.h
usr/src/uts/i386/vm/vpage.h
usr/src/xcplib/lxcurses/addch.c
usr/src/xcplib/lxcurses/addstr.c
usr/src/xcplib/lxcurses/box.c
usr/src/xcplib/lxcurses/clear.c
usr/src/xcplib/lxcurses/clrtobot.c
usr/src/xcplib/lxcurses/clrtoeol.c
usr/src/xcplib/lxcurses/cr_put.c
usr/src/xcplib/lxcurses/cr_tty.c
usr/src/xcplib/lxcurses/curses.c
usr/src/xcplib/lxcurses/delch.c
usr/src/xcplib/lxcurses/deleteln.c
usr/src/xcplib/lxcurses/delwin.c
usr/src/xcplib/lxcurses/endwin.c
usr/src/xcplib/lxcurses/erase.c
usr/src/xcplib/lxcurses/ext.h
usr/src/xcplib/lxcurses/getch.c
usr/src/xcplib/lxcurses/getstr.c
usr/src/xcplib/lxcurses/initscr.c
usr/src/xcplib/lxcurses/insch.c
usr/src/xcplib/lxcurses/insertln.c
usr/src/xcplib/lxcurses/longname.c
usr/src/xcplib/lxcurses/move.c
usr/src/xcplib/lxcurses/mvprintw.c
usr/src/xcplib/lxcurses/mvscanw.c
usr/src/xcplib/lxcurses/mvwin.c

usr/src/xcplib/lxcurses/newwin.c
usr/src/xcplib/lxcurses/overlay.c
usr/src/xcplib/lxcurses/overwrite.c
usr/src/xcplib/lxcurses/printw.c
usr/src/xcplib/lxcurses/refresh.c
usr/src/xcplib/lxcurses/scanw.c
usr/src/xcplib/lxcurses/scroll.c
usr/src/xcplib/lxcurses/standout.c
usr/src/xcplib/lxcurses/touchwin.c
usr/src/xcplib/lxcurses/tstp.c
usr/src/xcplib/lxcurses/unctrl.c
usr/src/xcplib/lxcurses/xcurses.h
usr/src/xcplib/lxtermlib/lxtermlib.mk
usr/src/xcplib/lxtermlib/tc1.c
usr/src/xcplib/lxtermlib/tc2.c
usr/src/xcplib/lxtermlib/tc3.c
usr/src/xcplib/lxtermlib/termcap.c
usr/src/xcplib/lxtermlib/tgoto.c